

DUDLEY K. O. LIBRARY
NAVAL POSTGRADUATE SCHOOL
MONTEREY, CALIFORNIA 93943

NAVAL POSTGRADUATE SCHOOL

Monterey, California



THESIS

MICROCOMPUTER-BASED DETACHMENT ADMINISTRATIVE
MANAGEMENT SYSTEM FOR THE LAMPS COMMUNITY.
A REQUIREMENTS ANALYSIS.

by

Gregory F. Smith

September 1985

THESIS ADVISOR:

Jack LaPatra

Approved for public release; distribution is unlimited

T227037

REPORT DOCUMENTATION PAGE		READ INSTRUCTIONS BEFORE COMPLETING FORM
1. REPORT NUMBER	2. GOVT ACCESSION NO.	3. RECIPIENT'S CATALOG NUMBER
4. TITLE (and Subtitle) Microcomputer-Based Detachment Administrative Management System for the LAMPS Community. A Requirements Analysis		5. TYPE OF REPORT & PERIOD COVERED Master's Thesis September 1985
		6. PERFORMING ORG. REPORT NUMBER
7. AUTHOR(s) Gregory F. Smith		8. CONTRACT OR GRANT NUMBER(s)
9. PERFORMING ORGANIZATION NAME AND ADDRESS Naval Postgraduate School Monterey, CA 93943-5100		10. PROGRAM ELEMENT, PROJECT, TASK AREA & WORK UNIT NUMBERS
11. CONTROLLING OFFICE NAME AND ADDRESS Naval Postgraduate School Monterey, CA 93943-5100		12. REPORT DATE September 1985
		13. NUMBER OF PAGES 157
14. MONITORING AGENCY NAME & ADDRESS (if different from Controlling Office)		15. SECURITY CLASS. (of this report) UNCLASSIFIED
		15a. DECLASSIFICATION/DOWNGRADING SCHEDULE
16. DISTRIBUTION STATEMENT (of this Report) Approved for public release; distribution is unlimited		
17. DISTRIBUTION STATEMENT (of the abstract entered in Block 20, if different from Report)		
18. SUPPLEMENTARY NOTES		
19. KEY WORDS (Continue on reverse side if necessary and identify by block number) requirements analysis, LAMPS Detachment, data flow diagrams, data dictionary, data management, reports generation, microcomputer system		
20. ABSTRACT (Continue on reverse side if necessary and identify by block number) This thesis presents a requirements analysis of a micro-computer based system to be used by sea-going Light Airborne Multi-purpose System (LAMPS) detachment for administrative data management and recurring reports generation. Included are the results of user interviews which were conducted to determine possible system functions. These functions, through analysis, are presented in a hierarchical charting with data flow diagrams and accompanying processing narratives. System data is then presented in data dictionary format. Recommendations are made as to possible system implementation and design.		

Approved for public release; distribution is unlimited.

Microcomputer-Based Detachment Administrative
Management System for the LAMPS Community.
A Requirements Analysis.

by

Gregory F. Smith
Lieutenant, United States Navy
B.S., U.S. Naval Academy, 1977

Submitted in partial fulfillment of the
requirements for the degree of

MASTER OF SCIENCE IN INFORMATION SYSTEMS

from the

NAVAL POSTGRADUATE SCHOOL
September 1985

ABSTRACT

This thesis presents a requirements analysis of a micro-computer based system to be used by sea-going Light Airborne Multi-purpose System (LAMPS) detachments for administrative data management and recurring reports generation. Included are the results of user interviews which were conducted to determine possible system functions. These functions, through analysis, are presented in a hierarchical charting with data flow diagrams and accompanying processing narratives. System data is then presented in data dictionary format. Recommendations are made as to possible system implementation and design.

TABLE OF CONTENTS

I.	INTRODUCTION.....	9
	A. GENERAL.....	9
	B. RESEARCH OBJECTIVES.....	10
	C. SCOPE.....	11
	D. METHODOLOGY.....	11
	E. ASSUMPTIONS.....	12
II.	BACKGROUND.....	14
	A. GENERAL DESCRIPTION (LAMPS).....	14
	B. LAMPS ORGANIZATION.....	15
	C. REPORTING REQUIREMENTS.....	16
	D. AUTOMATION REQUIREMENTS.....	17
III.	FUNCTIONAL DESCRIPTION.....	21
	A. METHOD.....	21
	B. FUNCTIONAL REQUIREMENTS.....	21
	1. Desired Functions.....	22
	2. Discussion.....	23
	C. HIGH LEVEL FUNCTIONAL DECOMPOSITION.....	25
	1. Provide User Services Functional Decomposition.....	27
	2. Calendar/Julian Conversion Functional Decomposition.....	30
	3. Create Databases Functional Decomposition.....	32
	4. Maintain Databases Functional Decomposition.....	34
	5. Produce Reports Functional Decomposition.....	45

6. Review/Update Reports Functional Decomposition.....	72
IV. INFORMATION DESCRIPTION.....	75
A. GENERAL.....	75
B. DATA DICTIONARY.....	75
1. ENTITIES	
a. Detachment.....	75
b. Pilot.....	78
c. Aircrewman.....	85
d. Member.....	90
e. Flight.....	94
f. Aircraft.....	107
g. Engine.....	111
h. Component.....	115
i. Inspection.....	118
j. Ordnance.....	120
k. Requisition.....	123
l. Aircrew Exercise.....	125
m. Ground Training.....	127
n. Date.....	129
o. Report.....	131
p. User.....	131
q. Reminder.....	133
V. CONCLUSIONS and RECOMMENDATIONS.....	134
APPENDIX A: SAMPLE INTERVIEW QUESTIONS.....	138
APPENDIX B: LIST OF LAMPS RECURRING REPORTS.....	140

LIST OF REFERENCES.....	155
INITIAL DISTRIBUTION LIST.....	157

LIST OF FIGURES

FIGURE NO.	PAGE
1. High Level Structure Chart.....	25
2. Provide User Services.....	27
3. Provide Reminder Pad.....	28
4. Provide User Services Data Flow Diagram.....	29
5. Calendar/Julian Conversion.....	30
6. Calendar/Julian Conversion Data Flow Diagram.....	31
7. Create Database.....	32
8. Create Database Data Flow Diagram.....	33
9. Maintain Databases.....	34
10. Maintain Personnel Records.....	35
11. Maintain Personnel Records Data Flow Diagram.....	36
12. Maintain Flight Records.....	37
13. Maintain Flight Records Data Flow Diagram.....	38
14. Maintain Maintenance Records.....	39
15. Maintain Maintenance Records Data Flow Diagram.....	40
16. Maintain Training Records.....	41
17. Maintain Training Records Data Flow Diagram.....	42
18. Maintain Supply Records.....	44
19. Maintain Supply Records Data Flow Diagram.....	45
20. Produce Reports.....	46
21. Produce Maintenance Reports.....	47
22. Produce AMRR.....	48
23. Produce AMRR Data Flow Diagram.....	49

24. Produce XRAY.....	50
25. Produce XRAY Data Flow Diagram.....	52
26. Produce AAAR.....	53
27. Produce AAAR Data Flow Diagram.....	54
28. Produce ETR.....	56
29. Produce ETR Data Flow Diagram.....	57
30. Produce EQQ.....	58
31. Produce EQQ Data Flow Diagram.....	59
32. Produce RAINFORM PURPLES.....	51
33. Produce RAINFORM PURPLES Data Flow Diagram.....	62
34. Produce Combined Reports.....	63
35. Produce Ten Day Feeders.....	64
36. Produce Ten Day Feeders Data Flow Diagram.....	65
37. Produce CRUISEREP.....	67
38. Produce CRUISEREP Data Flow Diagram.....	68
39. Produce Eight O'clocks.....	70
40. Produce Eight O'clocks Data Flow Diagram.....	71
41. Review/Update Reports.....	72
42. Save Changes.....	73
43. Review/Update Reports Data Flow Diagram.....	74

I. INTRODUCTION

A. GENERAL

This thesis was conceived as a result of the Navy-wide increase in the issue and use of microcomputers. It will present the design of a microcomputer-based system for a particular fleet application--that of file-keeping and report generation to satisfy the needs of a seagoing detachment of the Light Airborne Multi-purpose System (LAMPS) community.

In October 1983, a joint Air Force / Navy contract [Ref.1] was let to the Zenith Data Corporation to purchase Z-120's as the Navy's standard desktop computer. The contract has been extended several times and expanded to include Z-150's. Recently, another Air Force / Navy contract [Ref.2] was let to Federal Data Corporation for the purchase of up to 36,000 portable Seequa Chameleon XL's. Commander Anti-submarine Warfare Wings Pacific forwarded a Mission Element Need Statement (MENS) [Ref.3] to Commander Naval Air Forces Pacific in November 1984 identifying the need to furnish LAMPS detachments with micro-computers. Although no explicit hardware specification is made in this thesis, the Zenith contracts were cited in this MENS and have been taken into account, and hardware configurations

already implemented at the squadron level have been considered.

B. RESEARCH OBJECTIVES

This thesis will formally represent users' functional requirements in a logical design for an administrative reports and record-keeping system to be used by seagoing LAMPS detachments. It will explore the following research questions:

1. What are the functional requirements of a fleet detachment in terms of automated reporting and record-keeping ?
2. How can LAMPS detachments effectively use a standard micro-computer to store, access, and manipulate the large volume of flight, maintenance, training, and personnel data to satisfy fleet operational and administrative reporting and record-keeping ?
3. How can a design to satisfy these requirements be implemented using off-the-shelf software, thus minimizing development costs ?

The bulk of this presentation will be a requirements analysis of a detachment file management system: functional descriptions, data flows, data definitions, and outputs. Functions are identified and explained using a structured analysis technique. This technique involves hierarchical organization and decomposition of the major system functions. The function narratives describe these functions in detail. Data flow diagrams are then constructed using the method outlined by Science Research Associates. [Ref.4] 2

data dictionary follows, depicting each data element in detail.

No attempt has been made to code the system. It is the author's desire that this requirements analysis will be followed by future projects to bring about its full implementation. Recommendations are made throughout concerning appropriate off-the-shelf software that can and should be used for the system as well as to manage the system in an operational detachment.

Benefits to be realized through the use of this system are illustrated in Chapter II, although no formal cost/benefit analysis is presented. The system presented should help realize those benefits noted in [Ref.3].

C. SCOPE

The scope of this thesis will be limited to a functional description and logical design of an administrative data management and reports generation system for general use with LAMPS detachments.

D. METHODOLOGY

The requirements described in this thesis were determined through a series of interviews with experienced LAMPS officers, mostly Officers-in-Charge and Maintenance Officers. An Officer-in-Charge of a LAMPS detachment has overall responsibility for the detachment, and is best

sued to prescribe how administrative requirements should be handled, while the Maintenance Officer does most of the record-keeping for the detachment. These interviews were conducted during face-to-face sessions at operational squadrons at NAS North Island, San Diego, and through telephone conversations with officers stationed in operational squadrons in Norfolk, Virginia.

Only officers were interviewed. On most detachments the officers prepare the reports. Some detachments may employ enlisted members to do various administrative tasks, but enlisted inputs were not solicited.

Twelve officers were interviewed. Due to the limited nature of the application and the standardization of LAMPS reporting requirements, many of their responses as to functional needs were duplicates. Therefore, this sample was considered adequate. As a former Officer-in-Charge, the author draws on personal experience as well. A sample of interview questions is contained in Appendix A.

Once the functional specifications were grouped from their responses, a logical system hierarchy was drawn. The format for this analysis is taken from Pressman [Ref. 5].

E. ASSUMPTIONS

Several assumptions have been used throughout the system development:

1. the reader is unfamiliar with LAMPS.

This is not considered critical as the technical details of LAMPS operations are not considered. A brief description of LAMPS organization is provided for a conceptual framework.

2. the reader has a general understanding of the software development life-cycle as outlined in Pressman, SRA, Boehm [Ref.6] and others.

3. the system will be micro-computer based.

4. the end-user (operational LAMPS personnel) has little or no experience with micro-computers.

Throughout the design process, it is assumed that the end product will be completely menu-driven and as user-friendly as possible.

5. the system must be able to handle classified data.

Although this thesis is unclassified, material contained in the Rainform Purple and CRUISEREP sections is classified. This material was not specified in the data dictionary or data descriptions to preserve this work's unclassified status.

II. BACKGROUND

The following background information is provided as a conceptual framework for this application.

A. GENERAL DESCRIPTION

There are currently two subdivisions of the LAMPS community--LAMPS Mk I, which flies the Kaman SH-2F helicopter, and the more recently formed Mk III, which flies the Sikorsky SH-60B. In both divisions the missions are the same: Anti-submarine Warfare (ASW), Anti-ship Surveillance and Targeting (ASST), and other secondary missions including Search and Rescue (SAR) and utility.

The "system" consists of the LAMPS helicopter and crew, and any of a number of combatants with which they may be deployed. In essence, LAMPS greatly extends the detection and attack limits of its host ship by providing over-the-horizon capabilities. It can link information to its parent ship from a variety of on-board sensors enabling the ship to generate targeting solutions and conduct intelligence gathering. The helicopter is also a self-contained weapon system capable of generating its own solutions and conducting attacks.

B. LAMPS ORGANIZATION

A LAMPS squadron is a "detachment-based" squadron. Its helicopters and personnel are organized into detachments for individual deployment to various ships. The entire squadron does not deploy as a single unit. A typical squadron maintains nine to ten detachments and a "homeguard" organization for their support.

The typical detachment is organized as follows:

1. Four pilots.

a. Officer-in-Charge. (OIC)

Formulates and enforces detachment policy and maintains overall responsibility for the detachment. Serves as the Aviation Department Head aboard the ship and is spokesman for the detachment in all matters.

b. Maintenance Officer. (MO)

Serves as the detachment division officer and is responsible for day-to-day maintenance of the helicopter. Maintains aircraft logs and records and formulates periodic maintenance reports.

c. Operations/Communications Officer.

Schedules all operations concerning LAMPS. Maintains flight schedules and flight history of the detachment and usually drafts all operations reports.

d. Training/Admin Officer.

Schedules and tracks required training of detachment members and is responsible for routine administrative reporting and record-keeping.

2. Crew Leader.

Usually the senior enlisted member of the detachment. Works with maintenance officer to schedule and perform

maintenance on the aircraft, and handles most crew matters.

3. Crew.

The enlisted men who perform maintenance on the aircraft and fly as aircrew. Usually 10-13 per detachment.

While deployed, the detachment becomes the Air Department within the ship's organization, and the ship's commanding officer assumes responsibility for the safety of the detachment and its general administration.

C. REPORTING REQUIREMENTS

While deployed, the detachment is required to generate recurring reports to a variety of sources in addition to the reports issued by the ship. These reports fall into three general categories: Operational/Flight reports, Maintenance reports, and Combined reports. All of the reports contain compiled data, and their formulation is a tedious and time-consuming task requiring meticulous record keeping. Since detachments have no assigned administrative personnel, these reports are generated by the pilots and maintenance men. The data fields are often duplicated in different reports, and duplicate data is often maintained in several different files. The composition of these reports and their periodicity are contained in Appendix B.

File-keeping on detachments is primarily a manual process. In addition to the duplication of data discussed

above, maintenance of the data by different officers often leads to the introduction of errors. Data is often cross-checked by home units when compiling composite reports. Both HSL-35 and HSL-32, (operational LAMPS squadrons), report a number of errors when cross-referencing detachment operational data and maintenance data. This implies that the reporting officers are maintaining their own data and that data integrity suffers as a result.

D. AUTOMATION REQUIREMENTS

The burdensome record-keeping and reporting tasks of Naval Aviation maintenance and operations have been identified as creating inefficiencies that detract from a squadron's ability to perform its primary mission in the Mission Element Need Statements (MENS) of several computer-based systems that have been proposed to automate these processes.

The Naval Aviation Logistic Command Management Information System (NALCOMIS) project was approved and entered development in 1976. [Ref.6] It was created to automate Naval Aviation Maintenance reporting, record-keeping, and data collection which would encompass not only aircraft carriers, but helicopter carriers, Naval Air Stations, and Marine Corps Air Stations as well. It would automate these functions at both the Organizational and Intermediate levels

of maintenance, and was to run on standard shipboard mini-computers.

The project has suffered several delays, primarily due to a long delay in the award of the standard Shipboard Non-tactical ADP Program (SNAP I) contract. At this time, only the maintenance and supply modules are in prototype at MCAS Cherry Point, North Carolina. LAMPS is not scheduled to receive the system in the foreseeable future.

During the delay period, an interim system was developed to track maintenance and logistic functions aboard carriers. This system, the Status Inventory Data Management System (SIDMS), [Ref.7], was to provide real-time monitoring of all repairable actions taking place in the AIMD and logistic support operations in the afloat Supply Support Center of an aircraft carrier. The system has been operational for over three years now aboard carriers, but, again, LAMPS, due to its relatively small scope, is not scheduled to receive this system .

A project request for a SNAP Aviation Maintenance Sub-system (AMS) was submitted in December 1984. [Ref.8] This system, designed to run on the SNAP II hardware available on LAMPS ships, was to: "replace a major portion of the current manual data collection system with an interactive, menu-driven system that provides accurate and timely maintenance information for the embarked aviation detachment and its up-

line reporting requirements." The project has not been funded, however, and has stalled in development.

The Mission Element Needs Statement (MENS), issued by COMASWWINGSPAC in November 1984 [Ref. 3], identifies the need to automate the LAMPS reporting tasks through the use of microcomputers:

"Administrative burden in the form of recurring reports detract from the accomplishment of the [LAMPS] mission. While all aviation units have similar requirements, the small size of LAMPS detachments increases the per capita burden. This is mitigated only slightly by the fact that each detachment has only one aircraft. A microcomputer system would serve to reduce the time spent generating reports thereby freeing detachment personnel to spend more time performing their primary duties. The spread sheet/data base management capabilities of a microcomputer would also yield more timely and more accurate reports."

Although microcomputers have not yet been issued to LAMPS detachments, they have been issued to operational squadrons for use within the squadrons. Within the control of COMASWWINGSPAC, squadrons are provided with a standard microcomputer and its operating system, a data base management system, (typically dBASE II,) an integrated spread sheet, (typically LOTUS 1-2-3,) and a word processor, (such as WORDSTAR). They are attempting to acquire such systems for all detachments within their command.

Unfortunately, problems with the computers' management have already arisen. During interviews at HSL-33 and HSL-35, squadron officers indicate that "squadron personnel designated to operate the computers receive little training, and have used them for only minor applications. While the

Naval Data Automation Command's Small Computer Guideline [Ref.9] states that "local commands are responsible for training . . . it is the user's responsibility to read and understand the necessary manuals prior to operating the small computer," clearly few commands can afford to place a high enough priority on such "catch up" training to be effective. They can rarely spare the people or the time needed to learn sophisticated, relatively user un-friendly software to comfortable levels.

The remaining portions of this thesis reflect, in part, the desires of users to create a detachment reporting system uniquely tailored to the LAMPS community.

III. FUNCTIONAL DESCRIPTION

A. METHOD

The functional design of the reports processing system will be developed using a top-down hierarchical structure. This method is presented in a number of references including Pressman [Ref.5], Yourdon [Ref.10], and DeMarco [Ref.11]. It is the basis of IBM's Hierarchical Input Process Output (HIPO) method of Requirements Analysis [Ref.12]. Discussions with NARDAC San Francisco personnel indicate that this method provides a good visual description of the proposed system.

HIPO consists of overview diagrams, detail diagrams, and hierarchy charts known as Visual Tables of Contents (VTOCs). Each diagram provides a level of definition in the design of the system. Descriptive narratives accompany each functional level describing the function.

B. FUNCTIONAL REQUIREMENTS

The following is a summary of the desirable functions of a detachment micro-computer based administrative management system. It was compiled from responses received during the user interviews. Interview questions are listed in Appendix A.

1. Desired functions

- a. Provide a pre-deployment checklist system.
- b. Store an Individual Material Readiness Listing (IMRL).
- c. Maintain a listing of all detachment members' training qualifications with a query capability.
- d. Store all detachment flight information.
- e. Store and compile a large volume of maintenance data.
- f. Store supply data.
- g. Provide tactical decision support.
- h. Solve assignment problems.
- i. Provide calendar--Julian date conversion.
- j. Provide reminder system including reminders for night-time component replacements, report due dates, and inspection due intervals.
- k. Produce recurring reports.

(1) Maintenance.

- a. Aircraft Material Readiness Report (AMRR)
- b. Aircraft Custody/Status Change Reporting (XRAY)
- c. Engine Transaction Report (ETR)
- d. End-of-Quarter Report (EOQ)
- e. Aircraft Accounting Audit Report.

(2) Flight.

- a. Rainform Purples.

(3) Combined.

- a. Ten Day Feeder Reports
- b. CRUISEREP.
- c. Eight o'clock reports.

2. Discussion

This list contains functions that, while diverse, can be combined in ways that their required data may be shared in several cases. Functions A and B, while easily implemented, are more efficiently handled manually and are not included in this application. Function G has been addressed by Geschke, Bullock, and Widmaer [Ref.13] and is also excluded. Function H has received a thorough treatment from Jones and Dolenti [Ref.14], and will not be discussed. The remaining functions are interrelated in that their supporting data derives from aircraft utilization and personnel activities.

From the above list it has been determined that a database system would best support most of the functions. A database system would most efficiently support the wide diversity of data required while providing a query capability. Kronke [Ref.15] notes several advantages of a database system that would apply to this application:

- a. More information from the same amount of data [as a file processing system.]
- b. New requests and one of a kind requests will be more easily implemented.
- c. Elimination of data duplication.
- d. Program/data independence.

Each of the major functions will be hierarchically decomposed into subfunctions and described in more detail.

The narratives describe the function and the next level of detail. Boxes marked:



indicate the lowest graphically depicted level.


These charts are functional decompositions only. They do not reflect control structures or detailed program design. A data flow diagram will accompany charts of the lowest level functions to depict data sources and flows. Sources for the data fields used in the reports generation are contained in Appendix B.

The following legend applies to the data flow diagrams:



SOURCE or DESTINATION

PROCESS or FUNCTION



DATA SOURCE or SINK



FLOW (arrows indicate direction)

C. HIGH LEVEL FUNCTIONAL DECOMPOSITION




Figure 1

High Level Structure Chart

 Name: Detachment File Management
 Function Identifier: 0.0

Description: This function provides the user with HELP information and reminders, allows maintenance of existing databases, allows for the creation of new databases, generates reports, allows user to review/update reports, performs Calendar/Julian conversion, and provides an exit from the system.

 Name: Provide User Services
 Function Identifier: 1.0

Description: This function provides, upon request, on-line help and provides a reminder system through which scheduled events may be tracked.

Name: Calendar/Julian Conversion
Function Identifier: 2.0

Description: This function allows the user to convert
calendar dates to Julian format and vice versa.

Name: Create Databases
Function Identifier: 3.0

Description: This function allows the user to create
databases not provided by the system.

Name: Maintain Databases
Function Identifier: 4.0

Description: This function allows the user to enter, delete,
and review/update information in pre-structured
databases which fall under five major headings:
Personnel, Flight, Maintenance, Supply, and
Training.

The databases used in this system fall under these five
major headings. These major categories are
compartmentalized into further sub-categories but are not
depicted graphically.

Name: Produce Reports
Function Identifier: 5.0

Description: This function provides a selection of pre-
formatted recurring report templates. The user
enters required information. Data is compiled
from respective databases and output in the
desired report.

Name: Review/update Reports
Function Identifier: 6.0

Description: This function allows the user to review a
specified report, make changes, if necessary,
and refile the report. Also allows the user to
input new report formats.

Name: Exit
Function Identifier: 7.0

Description: Allows the user to exit the system back to
operating system.

1. Provide User Services Functional Decomposition




Figure 2

Provide User Services

Name: Provide HELP

Function Identifier: 1.1

Description: This function provides on-line documentation for the user to assist him through the various functions of the system. It will provide an introductory chapter and step-by-step instructions through the system. It will also include code tables from the various reports' references.

The reminder pad provides the user with pending activities at a glance. The user determines due dates or flight hour intervals for pending activities and enters them into the system. He then specifies the desired number of advance warning days or hours. When requested, the reminder pad will automatically display the reminders he has input along with the correctly updated interval.

Name: Provide Reminder Pad

Function Identifier: 1.2

Description: Allows user to check due dates for division officer requirements, reports, high-time component changes, and inspections.

a. Provide Reminder Pad Decomposition




Figure 3

Provide Reminder Pad

 Name: Provide Division Officer Reminders
 Function Identifier: 1.2.1

Description: Provides user with list of reminders and time schedule of division officer responsibilities including evaluations, test periods, etc.

 Name: Provide Reports Schedule Reminders
 Function Identifier: 1.2.2

Description: Provides user with schedule of recurring reports, and time to go until due.

 Name: Provide High-time component reminders.
 Function Identifier: 1.2.3

Description: Provides user with list of high time components, their intervals, and the number of flight hours remaining until replacement is due.




Figure 4
Provide User Services Data Flow Diagram

Name: Provide Inspection Reminders

Function Identifier: 1.2.4

Description: Provides user with inspection schedule. Some inspection cycles are based on flight hours, some on calendar intervals. The interval is pre-specified by the user.

2. Calendar/Julian Conversion Functional Decomposition




Figure 5

Calendar/Julian Conversion

Name: Convert Calendar to Julian

Function Identifier: 2.1

Description: Converts date from MMDDYY format to Julian date format. (YYDDD)

Name: Convert Julian to Calendar

Function Identifier: 2.2

Description: Converts Julian date to Calendar date.




Figure 6
Calendar/Julian Conversion Data Flow Diagram

3. Create Databases Functional Decomposition




Figure 7

Create Database

Name: Define Structure
Function Identifier: 3.1

Description: Allows the user to define the structure of the proposed database. User defines fields, lengths, and keys.

Name: Input Data
Function Identifier: 3.2

Description: Called from function 3.1 on request, allows user to input data into newly formed database.

Name: Save Database
Function Identifier: 3.3

Description: Allows user to make newly created database structure and data permanent. After the database file is stored it may be accessed by this function in the future.




Figure 8
Create Databases Data Flow Diagram

4. Maintain Databases Functional Decomposition




Figure 9

Maintain Databases

Name: Maintain Personnel Records

Function Identifier: 4.1

Description: Allows user to enter the pre-structured personnel databases to add, delete, or change data.

a. Maintain Personnel Records Decomposition




Figure 10

Maintain Personnel Records

Name: Enter Data

Function Identifier: 4.1.1

Description: Allows user to enter data into pre-defined data fields.

Name: Delete Data

Function Identifier: 4.1.2

Description: Allows user to delete data from the personnel databases. Record numbering adjusted accordingly.

Name: Review/update Data

Function Identifier: 4.1.3

Description: Allows the user to review elements in databases and make changes if necessary.




Figure 11
Maintain Personnel Records Data Flow Diagram

Name: Maintain Flight Records

Function Identifier: 4.2

Description: Allows user to enter the pre-structured flight databases to add, delete, or change data.

b. Maintain Flight Records Decomposition




Figure 12

Maintain Flight Records

Name: Enter Data

Function Identifier: 4.2.1

Description: Allows user to enter data into pre-defined data fields.

Name: Delete Data

Function Identifier: 4.2.2

Description: Allows user to delete data from the flight databases. Record numbering adjusted accordingly.




Figure 13
Maintain Flight Records Data Flow Diagram

Name: Review/update Data

Function Identifier: 4.2.3

Description: Allows the user to review elements in databases and make changes if necessary.

Name: Maintain Maintenance Records

Function Identifier: 4.3

Description: Allows user to enter the pre-structured maintenance databases to add, delete, or change data.

c. Maintain Maintenance Records Decomposition




Figure 14

Maintain Maintenance Records

Name: Enter Data

Function Identifier: 4.3.1

Description: Allows user to enter data into pre-defined data fields.




Figure 15
Maintain Maintenance Records Data Flow Diagram

Name: Delete Data

Function Identifier: 4.3.2

Description: Allows user to delete data from the maintenance
databases. Record numbering adjusted
accordingly.

Name: Review/update Data

Function Identifier: 4.3.3

Description: Allows the user to review elements in databases
and make changes if necessary.

Name: Maintain Training Records

Function Identifier: 4.4

Description: Allows user to enter the pre-structured
training databases to add, delete, or change
data.

d. Maintain Training Records Decomposition




Figure 16

Maintain Training Records

Name: Enter Data

Function Identifier: 4.4.1

Description: Allows user to enter data into pre-defined data fields.

Name: Delete Data

Function Identifier: 4.4.2

Description: Allows user to delete data from the training databases. Record numbering adjusted accordingly.

Name: Review/update Data

Function Identifier: 4.4.3

Description: Allows the user to review elements in databases and make changes if necessary.




Figure 17
Maintain Training Records Data Flow Diagram

Name: Maintain Supply Records

Function Identifier: 4.5

Description: Allows user to enter the pre-structured supply databases to add, delete, or change data.

e. Maintain Supply Records Decomposition




Figure 18

Maintain Supply Records

Name: Enter Data

Function Identifier: 4.5.1

Description: Allows user to enter data into pre-defined data fields.

Name: Delete Data

Function Identifier: 4.5.2

Description: Allows user to delete data from the supply databases. Record numbering adjusted accordingly.




Figure 19
Maintain Supply Records Data Flow Diagram

Name: Review/update Data

Function Identifier: 4.5.3

Description: Allows the user to review elements in databases
and make changes if necessary.

5. Produce Reports Functional Decomposition




Figure 20

Produce Reports

Name: Produce Maintenance Reports

Function Identifier: 5.1

Description: Allows user to produce various maintenance
reports.

a. Produce Maintenance Reports Decomposition




Figure 21

Produce Maintenance Reports

Name: Produce AMRR

Function Identifier: S.1.1

Description: Produces the Aircraft Material Readiness Report by displaying the AMRR template, asking user for required information, computing totals of information fields, and outputting formatted and compiled report. Also makes a backup of previous totals used in compiling the new totals.

(1) Produce AMRR Decomposition.




Figure 22

Produce AMRR

Name: Display AMRR Template
Function Identifier: 5.1.1.1

Description: Blank formatted version of AMRR is displayed on the screen.

Name: Get User Provided Data
Function Identifier: 5.1.1.2

Description: Prompts the user for input into data fields required for update. User provided data is described in App. B.

Name: Combine New Data w/ Database Totals
Function Identifier: 5.1.1.3

Description: Performs data compilation for the AMRR report. Combines historical data from the specified databases within the inclusive dates to provide totals in the report total blocks.




Figure 23
Produce AMRR Data Flow Diagram

Name: Make Backup

Function Identifier: 5.1.1.4

Description: Ensures backup of previous totals from the
databases accessed in 5.1.1.3.

Name: Output Report

Function Identifier: 5.1.1.5

Description: Finished AMRR report is printed out.

Name: Produce XRAY

Function Identifier: 5.1.2

Description: Produces the Aircraft Custody/Status Change
Report (XRAY) by displaying the XRAY template,
asking user for required information, computing
totals of information fields, and outputting
formatted and compiled report. Also makes a
backup of previous totals used in compiling the
new totals.

(2) Produce XRAY Decomposition.




Figure 24

Produce XRAY

Name: Display XRAY Template
Function Identifier: 5.1.2.1

Description: Blank formatted version of XRAY is displayed on the screen.

Name: Get User Provided Data
Function Identifier: 5.1.2.2

Description: Prompts the user for input into data fields required for update. User provided data is described in App. B.

Name: Combine New Data w/ Database Totals
Function Identifier: 5.1.2.3

Description: Performs data compilation for the XRAY report. Combines historical data from the specified databases within the inclusive dates to provide totals in the report total blocks.

Name: Make Backup
Function Identifier: 5.1.2.4

Description: Ensures backup of previous totals from the databases accessed in 5.1.2.3.

Name: Output Report
Function Identifier: 5.1.2.5

Description: Finished XRAY report is printed out.




Figure 25
Produce XRAY Data Flow Diagram

Name: Produce AAAR

Function Identifier: 5.1.3

Description: Produces the Aircraft Accounting Audit Report (AAAR) by displaying the AAAR template, asking user for required information, computing totals of information fields, and outputting formatted and compiled report. Also makes a backup of previous totals used in compiling the new totals.

(3) Produce AAAR Decomposition.




Figure 26

Produce AAAR

Name: Display AAAR Template

Function Identifier: 5.1.3.1

Description: Blank formatted version of AAAR is displayed on the screen.




Figure 27
Produce AAAR Data Flow Diagram

Name: Get User Provided Data

Function Identifier: 5.1.3.2

Description: Prompts the user for input into data fields required for update. User provided data is described in App. B.

Name: Combine New Data w/ Database Totals

Function Identifier: 5.1.3.3

Description: Performs data compilation for the AAAR report. Combines historical data from the specified databases within the inclusive dates to provide totals in the report total blocks.

Name: Make Backup

Function Identifier: 5.1.3.4

Description: Ensures backup of previous totals from the databases accessed in 5.1.3.3.

Name: Output Report

Function Identifier: 5.1.3.5

Description: Finished AAAR report is printed out.

Name: Produce ETR

Function Identifier: 5.1.4

Description: Produces the Engine Transaction Report (ETR) by displaying the ETR template, asking user for required information, computing totals of information fields, and outputting formatted and compiled report. Also makes a backup of previous totals used in compiling the new totals.

(4) Produce ETR Decomposition.




Figure 28

Produce ETR

Name: Display ETR Template

Function Identifier: 5.1.4.1

Description: Blank formatted version of ETR is displayed on the screen.

Name: Get User Provided Data

Function Identifier: 5.1.4.2

Description: Prompts the user for input into data fields required for update. User provided data is described in App. B.

Name: Combine New Data w/ Database Totals

Function Identifier: 5.1.4.3

Description: Performs data compilation for the ETR report. Combines historical data from the specified databases within the inclusive dates to provide totals in the report total blocks.




Figure 29
Produce ETR Data Flow Diagram

Name: Make Backup

Module Identifier: 5.1.4.4

Description: Ensures backup of previous totals from the
databases accessed in 5.1.4.3.

Name: Output Report

Function Identifier: 5.1.4.5

Description: Finished ETR report is printed out.

Name: Produce EOQ

Function Identifier: 5.1.5

Description: Produces the End-of-Quarter (EOQ) Report by
displaying the EOQ template, asking user for
required information, computing totals of
information fields, and outputting formatted
and compiled report. Also makes a backup of
previous totals used in compiling the new
totals.

(5) Produce EOQ Decomposition.




Figure 30 -

Produce EOQ




Figure 31
Produce EOQ Data Flow Diagram

Name: Display EOQ Template

Function Identifier: 5.1.5.1

Description: Blank formatted version of EOQ is displayed on the screen.

Name: Get User Provided Data

Function Identifier: 5.1.5.2

Description: Prompts the user for input into data fields required for update. User provided data is described in App. B.

Name: Combine New Data w/ Database Totals

Function Identifier: 5.1.5.3

Description: Performs data compilation for the EOQ report. Combines historical data from the specified databases within the inclusive dates to provide totals in the report total blocks.

Name: Make Backup

Function Identifier: 5.1.5.4

Description: Ensures backup of previous totals from the databases accessed in 5.1.5.3.

Name: Output Report

Function Identifier: 5.1.5.5

Description: Finished EOQ report is printed out.

The RAINFORM PURPLE is a special report submitted daily by LAMPS detachments. It does not contain data compiled from other historical data but may repeat information from day to day in the remarks and narrative section.

Name: Produce RAINFORM PURPLES

Function Identifier: 5.2

Description: Allows user to produce RAINFORM PURPLES, the LAMPS daily tactical flight summary, drawing from user provided information and the flight databases.

b. Produce RAINFORM PURPLES Decomposition




Figure 32

Produce RAINFORM PURPLES

Name: Display RAINFORM PURPLE Template
Function Identifier: 5.2.1

Description: Blank formatted version of RAINFORM PURPLE is displayed on the screen.

Name: Get User Provided Data
Function Identifier: 5.2.2

Description: Prompts the user for input into data fields required for update. Since this report is a daily flight summary, extensive update is necessary. Information provided in this report is compiled for use in flight data summaries elsewhere in the system.

Name: Combine New Data w/ Database Totals
Function Identifier: 5.2.3

Description: Performs flight data compilation for the RAINFORM PURPLE report. Combines historical data with newly input data.




Figure 33
Produce Rainform Purple Data Flow Diagram

Name: Make Backup

Function Identifier: 5.2.4

Description: Ensures backup of previous report accessed in 5.2.3.

Name: Output Report

Function Identifier: 5.2.5

Description: Finished RAINFORM PURPLE is printed out.

Name: Produce Combined Reports

Function Identifier: 5.3

Description: Allows user to produce reports that combine data from several different sources which are not of a predominant nature, i.e. predominantly maintenance or flight.

c. Produce Combined Reports Decomposition




Figure 34

Produce Combined Reports

Name: Produce Ten Day Feeder Report

Function Identifier: 5.3.1

Description: Produces the Ten Day Feeder Report by displaying the Ten Day Feeder template, asking user for required information, computing totals of information fields, and outputting formatted and compiled report. Also makes a backup of previous totals used in compiling the new totals.

(1) Produce Ten Day Feeder Reports
Decomposition.




Figure 35

Produce Ten Day Feeders

Name: Display TEN DAY FEEDER Template

Function Identifier: 5.3.1.1

Description: Blank formatted version of TEN DAY FEEDER report is displayed on the screen.




Figure 36
Produce 10-Day Feeder Data Flow Diagram

Name: Get User Provided Data

Function Identifier: 5.3.1.2

Description: Prompts the user for input into data fields required for update. User provided data is described in App. B.

Name: Combine New Data w/ Database Totals

Function Identifier: 5.3.1.3

Description: Performs data compilation for the TEN DAY FEEDER report. Combines historical data from the specified databases within the inclusive dates to provide totals in the report total blocks.

Name: Make Backup

Function Identifier: 5.3.1.4

Description: Ensures backup of previous totals from the databases accessed in 5.3.1.3.

Name: Outout Report

Function Identifier: 5.3.1.5

Description: Finished TEN DAY FEEDER report is printed out.

Name: Produce CRUISEREP

Function Identifier: 5.3.2

Description: Produces the CRUISEREP by displaying the CRUISEREP template, asking user for required information, computing totals of information fields, and outputting formatted and compiled report. Also makes a backup of previous totals used in compiling the new totals.

(2) Produce CRUISEREP Decomposition.




Figure 37

Produce CRUISEREP

Name: Display CRUISEREP Template
Function Identifier: 5.3.2.1

Description: Blank formatted version of CRUISEREP is displayed on the screen.

Name: Get User Provided Data
Function Identifier: 5.3.2.2

Description: Prompts the user for input into data fields required for update. User provided data is described in App. B.

Name: Combine New Data w/ Database Totals
Function Identifier: 5.3.2.3

Description: Performs data compilation for the CRUISEREP. Combines historical data from the specified databases within the inclusive dates to provide totals in the report total blocks.




Figure 38
Produce CRUISEREP Data Flow Diagram

Name: Make Backup

Function Identifier: 5.3.2.4

Description: Ensures backup of previous totals from the
databases accessed in 5.3.2.3.

Name: Output Report

Function Identifier: 5.3.2.5

Description: Finished CRUISEREP is printed out.

Name: Produce Eight O'clocks

Function Identifier: 5.3.3

Description: Produces Eight O'clock Reports by displaying
the Eight O'clock Report template, asking user
for required information, computing totals of
information fields, and outputting formatted
and compiled report. Also makes a backup of
previous totals used in compiling the new
totals.

(3) Produce Eight O'clocks Decomposition.




Figure 39

Produce Eight O'clocks

Name: Display Template
Function Identifier: 5.3.3.1

Description: Blank formatted version of EIGHT O'CLOCK REPORT
is displayed on the screen.

Name: Get User Provided Data
Function Identifier: 5.3.3.2

Description: Prompts the user for input into data fields
required for update. User provided data
is described in App. B.

Name: Combine New Data w/ Database Totals
Function Identifier: 5.3.3.3

Description: Performs data compilation for the EIGHT O'CLOCK
REPORT. Combines historical data from the
specified databases within the inclusive dates
to provide totals in the report total blocks.




Figure 40
Produce Eight O'clock Reports Data Flow Diagram

Name: Make Backup

Function Identifier: 5.3.3.4

Description: Ensures backup of previous totals from the
databases accessed in 5.3.3.3.

Name: Output Report

Function Identifier: 5.3.3.5

Description: Finished EIGHT O'CLOCK REPORT is printed out.

6. Review/Update Reports Functional Decomposition




Figure 41

Review/Update Reports

Name: Add New Format

Function Identifier: 6.1

Description: Allows the user to define a new report format as reporting requirements change frequently. New report may draw from previously established databases and/or from user-created databases in function 3.0

Name: Review Archived Report

Function Identifier: 6.2

Description: Allows user to review previously stored reports
for information, or to change erroneous data.

Name: Save Changes

Function Identifier: 6.3

Description: Allows user to make changes to old report,
saves updates, and makes backup of old report.

a. Save Changes Decomposition




Figure 42

Save Changes

Name: Archive Updated Report

Function Identifier: 6.3.1

Description: Saves updated report.

Name: Make Backup of Old Report

Function Identifier: 6.3.2

Description: Makes backup copy of report before changes have
been entered, as a precaution.




Figure 43
Review/Update Reports Data Flow Diagram

IV. INFORMATION DESCRIPTION

A. GENERAL

This chapter provides the description of the information to be used by the reports generation system as a data dictionary. The format for the data dictionary will be that recommended by NARDAC San Fransisco in its "Requirements Analysis Questionnaire Outline." [Ref.16]

B. DATA DICTIONARY

This section defines the data to be used by the system. The purpose of this data dictionary is to form a central repository of data which may be referenced on any data element contained in the system. The dictionary consists of entities and attributes. An entity is a conceptual representation of an object. An attribute is a representation of a property of an entity. Each entity will be described followed by a list of attributes relating to that entity. Each attribute will then be defined.

1. Personnel Entities

a. Detachment Entity

```
*****
Entity name      : Detachment

Description      : A division of a LAMPS squadron charged
                   with the responsibility of performing
                   the LAMPS mission. Detachments are
                   individually deployed to various ships
                   and are comprised of three to four
```

pilots, a single aircraft with support equipment, and the maintenance personnel to perform upkeep of the aircraft. Detachments are self-contained units with individual reporting responsibility.

Aliases : Unit, Department

Attributes : Detachment Parent Squadron Name
 (DET_SQD_NAME)
 Detachment Number (DET_NUM)
 Detachment Name = DET_SQD_NAME +
 DET_NUM (DET_NAME)
 Detachment Unit Identification Code
 (DET_UIC)
 Detachment Permanent Unit Code
 (DET_PUC)
 Detachment 3M Organization Code
 (DET_ORG_CODE)
 Ship Assigned Name (DET_SHIP_NAME)
 Ship Assigned Unit Identification Code
 (DET_SHIP_UIC)
 Detachment Readiness Status
 (DET_RED_STAT)

(1) Detachment Attributes.

Element name : DET_SQD_NAME
 Format : Alphanumeric
 No. Characters : 6

Description : The abbreviated name of the parent squadron.

Range of Values : NA

Example : HSL-32

Element name : DET_NUM
 Format : Alphanumeric
 No. Characters : 5

Description : The detachment number designated by the parent squadron.

Range of Values : "DET" + Numeric: 0-15

Example : Det 1

Element name : DET_UIC
 Format : Numeric

No. Characters : 5
 Description : The unique five-digit identifier assigned to all Naval units.

Range of Values : 00001-99999
 Example : 21405

 Element name : DET_PUC
 Format : Numeric
 No. Characters : 6

Description : The unique six-digit identifier assigned to LAMPS detachments.

Range of Values : 000001-999999
 Example : 034165

 Element name : DET_ORG_CODE
 Format : Alphanumeric
 No. Characters : 3

Description : The detachment unique code for entry into the 3M maintenance system.

Range of Values : NA
 Example : 1B0

 Element name : DET_SHIP_NAME
 Format : Alphanumeric
 No. Characters : 25

Description : The name of the ship the detachment is currently assigned to.

Range of Values : NA
 Example : USS Arthur W. Radford

 Element name : DET_SHIP_UIC
 Format : Numeric
 No. Characters : 5

Description : The unique five-digit identifier assigned to all Naval Units. The identifier of the ship to which the detachment is assigned.

Range of Values : 00001-99999
 Example : 21405

 Element name : DET_RED_STAT
 Format : Alphanumeric

No. Characters : 1
 Description : The detachment's readiness status as determined from the composite of the pilots' and aircrew individual readiness status. Functional Wing Instructions apply.

Range of Values : A,B,C,D
 Example : A

Pilot and aircrew flight statistical requirements are described in OPNAVINST 3710.7L. [Ref. 17] Personal information on all detachment personnel is derived from the Division Officer's Notebook. Readiness requirements were determined from Functional Wing Requirements. (the reference for this text was COMHELSEACONWING ONE INST C3500.1C [Ref. 18])

b. Pilot Entity

 Entity name : Pilot

Description : A qualified Naval Aviator assigned to the detachment for the purpose of conducting operational flights.

Aliases :

Attributes : Pilot First Name (P_FNAME)
 Pilot Last Name (P_LNAME)
 Pilot Middle Initial (P_MINIT)
 Pilot Social Security Number (P_SSN)
 Pilot Rank (P_RANK)
 Pilot Address (P_ADD)
 Pilot Telephone Number (P_TNUM)
 Pilot Date-of-Birth (P_DOB)
 Pilot Detachment Billet (P_BILLET)
 Pilot HAC Qualification (P_HAC)
 Pilot 2P Qualification (P_2P)
 Pilot FCP Qualification (P_FCP)
 Pilot ANI Qualification (P_ANI)
 Pilot ICP Qualification (P_ICP)
 Pilot Other Qualifications (P_OTH)
 Pilot Total Flight Time (P_TOT)
 Pilot Fiscal Year Pilot Time (P_FYP)
 Pilot Fiscal Year Night Time (P_FYN)
 Pilot Semi-Annual Night Time (P_SAN)

Pilot Fiscal Year Actual Instrument
 Time (P_FYA)
 Pilot Fiscal Year Simulated Instrument
 Time (P_FYS)
 Pilot Natops Check Due Date (P_NAT)
 Pilot Instrument Check Due Date
 (P_INST)
 Pilot Day DLQ Expiration Date (P_DDLQ)
 Pilot Night DLQ Expiration Date
 (P_NDLQ)
 Pilot Readiness Status (P_READ)
 Pilot Special Achievements (P_ACH)

(1) Pilot Attributes.

 Element name : P_FNAME
 Format : Alphanumeric
 No. Characters : 15

Description : The legal first name of the Pilot.

Range of Values : NA
 Example : Gregory

 Element name : P_LNAME
 Format : Alphanumeric
 No. Characters : 15

Description : The legal last name of the Pilot.

Range of Values : NA
 Example : Smith

 Element name : P_MINIT
 Format : Alphanumeric
 No. Characters : 1

Description : The Pilot's middle initial.

Range of Values : A-Z
 Example : F

 Element name : P_SSN
 Format : Numeric
 No. Characters : 9

Description : The unique, Federally assigned Social Security Number of the Pilot.

Range of Values : 0000000000-999999999

Example : 228807484

Element name : P_RANK

Format : Alphanumeric

No. Characters : 4

Description : The abbreviation of the Pilot's rank.

Range of Values : NA

Example : LT

Element name : P_ADDRESS

Format : Alphanumeric

No. Characters : 50

Description : The Pilot's home address.

Range of Values : NA

Example : 1118 SURF AVE. PACIFIC GROVE CAL 93950

Element name : P_TNUM

Format : Numeric

No. Characters : 10

Description : The Pilot's home telephone number.

Range of Values : 0000000000-9999999999

Example : 4086494403

Element name : P_DOB

Format : Numeric

No. Characters : 8

Description : The Pilot's date-of-birth in calendar date form. MM/DD/YY.

Range of Values : MM: 01-12; DD: 01-31; YY:00-99

Example : 07/31/55

Element name : P_BILLET

Format : Alphanumeric

No. Characters : 25

Description : A description of the Pilot's billet in the detachment.

Range of Values : NA

Example : Maintenance Officer.

```

*****
Element name      : P_HAC
Format            : Numeric
No. Characters    : 1

Description       : A Flag to indicate if the Pilot is
                   a qualified Aircraft Commander.
Range of Values   : 0,1
Example           : 1
*****
Element name      : P_2P
Format            : Numeric
No. Characters    : 1

Description       : A Flag to indicate if the Pilot is
                   a qualified H2P.
Range of Values   : 0,1
Example           : 1
*****
Element name      : P_FCP
Format            : Numeric
No. Characters    : 1

Description       : A Flag to indicate if the Pilot is
                   a qualified Functional Check Pilot.
Range of Values   : 0,1
Example           : 1
*****
Element name      : P_ANI
Format            : Numeric
No. Characters    : 1

Description       : A Flag to indicate if the Pilot is
                   a qualified Assistant NATOPS Instruc-
                   tor.
Range of Values   : 0,1
Example           : 1
*****
Element name      : P_ICP
Format            : Numeric
No. Characters    : 1

Description       : A Flag to indicate if the Pilot is
                   a qualified Instrument Check Pilot.
Range of Values   : 0,1
Example           : 1

```

Element name : P_OTH
Format : Alphanumeric
No. Characters : 20

Description : A list of other significant Pilot qualifications.

Range of Values : NA
Example : Expert Guitarist

Element name : P_TOT
Format : Alphanumeric
No. Characters : 7

Description : Pilot's accumulated pilot time since designation as a Naval Aviator. Initial baseline is established. Base is updated with daily additions so that $P_TOT = P_TOT + HAC_FP_HRS + HAC_CP_HRS$ after update. (if not HAC, then $CP_FP_HRS + CP_CP_HRS$.)

Range of Values : 00000.0-99999.9
Example : 2005.4

Element name : P_FYP
Format : Alphanumeric
No. Characters : 5

Description : Pilot's accumulated pilot time since the beginning of the fiscal year. Initial baseline is established. Base is updated with daily additions so that $P_FYP = P_FYP + HAC_FP_HRS + HAC_CP_HRS$ after update. (if not HAC, then $CP_FP_HRS + CP_CP_HRS$.)

Range of Values : 000.0-999.9
Example : 200.4

Element name : P_FYN
Format : Alphanumeric
No. Characters : 5

Description : Pilot's accumulated night time since the beginning of the fiscal year. Initial baseline is established. Base is updated with daily additions so that $P_FYN = P_FYN + HAC_NT_HRS$ after up-

date. (if not HAC, then CP_NT_HRS.)

Range of Values : 000.0-999.9

Example : 105.4

Element name : P_SAN

Format : Alphanumeric

No. Characters : 5

Description : Pilot's accumulated night time since the beginning of the fiscal year minus any time not included in the previous six months from time of update.

Range of Values : 000.0-999.9

Example : 105.4

Element name : P_FYA

Format : Alphanumeric

No. Characters : 5

Description : Pilot's accumulated actual instrument time since the beginning of the fiscal year. Initial baseline is established. Base is updated with daily additions so that $P_FYA = P_FYA + HAC_ACT_HRS$ after update. (if not HAC, then CP_ACT_HRS.)

Range of Values : 000.0-999.9

Example : 105.4

Element name : P_FYS

Format : Alphanumeric

No. Characters : 5

Description : Pilot's accumulated simulated instrument time since the beginning of the fiscal year. Initial baseline is established. Base is updated with daily additions so that $P_FYS = P_FYS + HAC_SIM_HRS$ after update. (if not HAC, then CP_SIM_HRS.)

Range of Values : 000.0-999.9

Example : 105.4

Element name : P_NAT

Format : Alphanumeric

No. Characters : 8

Description : The due date of the Pilot's Annual NATOPS check. NATOPS qualifications are valid for twelve months from the last day of the month of the evaluation.

Range of Values : MM: 01-12; DD: 01-31; YY:00-99
Example : 07/31/55

Element name : P_INST
Format : Alphanumeric
No. Characters : 8

Description : The due date of the Pilot's Annual Instrument check. Pilot's are required to renew instrument ratings prior to the last day of their birth month.

Range of Values : MM: 01-12; DD: 01-31; YY:00-99
Example : 07/31/55

Element name : P_DDLQ
Format : Alphanumeric
No. Characters : 8

Description : The date that the Pilot's Day DLQ currency expires. Functional Wing Instructions apply.

Range of Values : MM: 01-12; DD: 01-31; YY:00-99
Example : 07/31/55

Element name : P_NDLQ
Format : Alphanumeric
No. Characters : 8

Description : The date that the Pilot's Night DLQ currency expires. Functional Wing Instructions apply.

Range of Values : MM: 01-12; DD: 01-31; YY:00-99
Example : 07/31/55

Element name : P_READ
Format : Alphanumeric
No. Characters : 1

Description : The Pilot's Readiness Status. Functional Wing Instructions apply.

Range of Values : A,B,C,D
Example : A

Element name : P_ACH
Format : Alphanumeric
No. Characters : 50

Description : A list of other significant Pilot achievements.

Range of Values : NA

Example : Survived Subic.

c. Aircrewman Entity

Entity name : Aircrewman

Description : A NATOPS qualified designated aircrew member assigned to the detachment to perform operational flights and routine aircraft maintenance.

Aliases : Crewman, AW

Attributes : Aircrewman First Name (AC_FNAME)
Aircrewman Last Name (AC_LNAME)
Aircrewman Middle Initial (AC_MINIT)
Aircrewman Social Security Number (AC_SSN)
Aircrewman Rate (AC_RATE)
Aircrewman Address (AC_ADD)
Aircrewman Telephone Number (AC_TNUM)
Aircrewman Date of Birth (AC_DOB)
Aircrewman Projected Rotation Date (AC_PRD)
Aircrewman Detachment Billet (AC_BILLET)
Aircrewman SAR Qualification (AC_SAR)
Aircrewman Plane Captain Qualifications (AC_PCO)
Aircrewman Other Qualifications (AC_OTH)
Aircrewman Total Flight Time (AC_TOT)
Aircrewman Fiscal Year Flight Time (AC_FYT)
Aircrewman Natos Check Due Date (AC_NAT)
Aircrewman Day SAR Expiration Date (AC_DSAR)
Aircrewman Night SAR Expiration Date (AC_NSAR)
Aircrewman Readiness Status (AC_READ)
Aircrewman Next Eval Due Date (AC_EVAL)
Aircrewman Advancement Eligibility Date (AC_ADV)

Aircrewman Special Achievements
(AC_ACH)

(1) Aircrewman Attributes.

Element name : AC_FNAME
Format : Alphanumeric
No. Characters : 15

Description : The legal first name of the Aircrewman.

Range of Values : NA
Example : Gregory

Element name : AC_LNAME
Format : Alphanumeric
No. Characters : 15

Description : The legal last name of the Aircrewman.

Range of Values : NA
Example : Smith

Element name : AC_MINIT
Format : Alphanumeric
No. Characters : 1

Description : The Aircrewman's middle initial.

Range of Values : A-Z
Example : F

Element name : AC_SSN
Format : Numeric
No. Characters : 9

Description : The unique, Federally assigned Social Security Number of the Aircrewman.

Range of Values : 000000000-999999999
Example : 228807484

Element name : AC_RATE
Format : Alphanumeric
No. Characters : 4

Description : The abbreviation of the Aircrewman's rate.

Range of Values : NA
 Example : AW3

 Element name : AC_ADDRESS
 Format : Alphanumeric
 No. Characters : 50

 Description : The Aircrewman's home address.

 Range of Values : NA
 Example : 1118 SURF AVE. PACIFIC GROVE CAL 93950

 Element name : AC_TNUM
 Format : Numeric
 No. Characters : 10

 Description : The Aircrewman's home telephone number.

 Range of Values : 0000000000-9999999999
 Example : 4086494403

 Element name : AC_DOB
 Format : Numeric
 No. Characters : 8

 Description : The Aircrewman's date-of-birth in
 calendar date form. MM/DD/YY.

 Range of Values : MM: 01-12; DD: 01-31; YY:00-99
 Example : 07/31/55

 Element name : AC_BILLET
 Format : Alphanumeric
 No. Characters : 25

 Description : A description of the Aircrewman's bil-
 let in the detachment.

 Range of Values : NA
 Example : Lead Aircrewman.

 Element name : AC_SAR
 Format : Numeric
 No. Characters : 1

 Description : A Flag to indicate if the Aircrewman is
 a qualified SAR swimmer.

 Range of Values : 0,1
 Example : 1


```

*****
Element name      : AC_PCQ
Format           : Numeric
No. Characters    : 1

Description       : A Flag to indicate if the Aircrewman is
                   a qualified plane captain.

Range of Values   : 0,1
Example          : 1
*****
Element name      : AC_OTH
Format           : Alphanumeric
No. Characters    : 20

Description       : A list of other significant Aircrewman
                   qualifications.

Range of Values   : NA
Example          : Expert Russian Linguist
*****
Element name      : AC_TOT
Format           : Alphanumeric
No. Characters    : 7

Description       : Aircrewman's accumulated flight time
                   since designation as a Naval Aircrew-
                   man. Initial baseline is established.
                   Base is updated with daily additions.

Range of Values   : 00000.0-99999.9
Example          : 2005.4
*****
Element name      : AC_FYT
Format           : Alphanumeric
No. Characters    : 5

Description       : Aircrewman's accumulated flight time
                   since the beginning of the fiscal year.
                   Initial baseline is established. Base
                   is updated with daily additions.

Range of Values   : 000.0-999.9
Example          : 200.4
*****
Element name      : AC_NAT
Format           : Alphanumeric
No. Characters    : 8

Description       : The due date of the Aircrewman's Annual

```


NATOPS check. NATOPS qualifications are valid for twelve months from the last day of the month of the evaluation.

Range of Values : MM: 01-12; DD: 01-31; YY:00-99
Example : 07/31/55

Element name : AC_DSAR
Format : Alphanumeric
No. Characters : 8

Description : The date that the Aircrewman's Day SAR currency expires. Functional Wing Instructions apply.

Range of Values : MM: 01-12; DD: 01-31; YY:00-99
Example : 07/31/55

Element name : AC_NSAR
Format : Alphanumeric
No. Characters : 8

Description : The date that the Aircrewman's Night SAR currency expires. Functional Wing Instructions apply.

Range of Values : MM: 01-12; DD: 01-31; YY:00-99
Example : 07/31/55

Element name : AC_READ
Format : Alphanumeric
No. Characters : 1

Description : The Aircrewman's Readiness Status. Functional Wing Instructions apply.

Range of Values : A,B,C,D
Example : A

Element name : AC_ACH
Format : Alphanumeric
No. Characters : 50

Description : A list of other significant Aircrewman achievements.

Range of Values : NA
Example : PACE graduate

Element name : AC_ADV
Format : Numeric

No. Characters : 8
 Description : The date the Aircrewman will be eligible to begin rate advancement procedures. In calendar date form. MM/DD/YY.

Range of Values : MM: 01-12; DD: 01-31; YY:00-99

Example : 07/31/55

Element name : AC_EVAL

Format : Numeric

No. Characters : 8

Description : The date the Aircrewman's next evaluation will be due. In calendar date form. MM/DD/YY.

Range of Values : MM: 01-12; DD: 01-31; YY:00-99

Example : 07/31/55

d. Member Entity

Entity name : Member

Description : An enlisted member assigned to the detachment to perform maintenance on the detachment aircraft, and conduct flight deck evolutions.

Aliases :

Attributes : Member First Name (M_FNAME)
 Member Last Name (M_LNAME)
 Member Middle Initial (M_MINIT)
 Member Social Security Number (M_SSN)
 Member Rate (M_RATE)
 Member Address (M_ADD)
 Member Telephone Number (M_TNUM)
 Member Date of Birth (M_DOB)
 Member Projected Rotation Date (M_PRD)
 Member Detachment Billet (M_BILLET)
 Member Plane Captain Qualifications (M_PCQ)
 Member QAR Qualification (M_QAR)
 Member CDI Qualification (M_CDI)
 Member Next Eval Due Date (M_EVAL)
 Member Advancement Eligibility Date (M_ADV)
 Member Special Achievements (M_ACH)

(1) Member Attributes.

```
*****
Element name      :   M_FNAME
Format           :   Alphanumeric
No. Characters    :   15

Description       :   The legal first name of the Member.

Range of Values   :   NA
Example          :   Thomas
*****
Element name      :   M_LNAME
Format           :   Alphanumeric
No. Characters    :   15

Description       :   The legal last name of the Member.

Range of Values   :   NA
Example          :   Jones
*****
Element name      :   M_MINIT
Format           :   Alphanumeric
No. Characters    :   1

Description       :   The Member's middle initial.

Range of Values   :   A-Z
Example          :   F
*****
Element name      :   M_SSN
Format           :   Numeric
No. Characters    :   9

Description       :   The unique, Federally assigned Social
                        Security Number of the Member.

Range of Values   :   000000000-999999999
Example          :   228807484
*****
Element name      :   M_RATE
Format           :   Alphanumeric
No. Characters    :   4

Description       :   The abbreviation of the Member's rate.

Range of Values   :   NA
Example          :   AD2
*****
Element name      :   M_ADDRESS
Format           :   Alphanumeric
```

No. Characters : 50

Description : The Member's home address.

Range of Values : NA

Example : 1118 SURF AVE. PACIFIC GROVE CAL 93950

Element name : M_TNUM

Format : Numeric

No. Characters : 10

Description : The Member's home telephone number.

Range of Values : 0000000000-9999999999

Example : 4086494403

Element name : M_DOB

Format : Numeric

No. Characters : 8

Description : The Member's date-of-birth in calendar date form. MM/DD/YY.

Range of Values : MM: 01-12; DD: 01-31; YY:00-99

Example : 07/31/55

Element name : M_BILLET

Format : Alphanumeric

No. Characters : 25

Description : A description of the Member's billet in the detachment.

Range of Values : NA

Example : Lead Mechanic

Element name : M_QAR

Format : Numeric

No. Characters : 1

Description : A Flag to indicate if the Member is a qualified Quality Assurance Representative.

Range of Values : 0,1

Example : 1

Element name : M_PCQ

Format : Numeric

No. Characters : 1

Description : Flag to indicate if the Member is a qualified plane captain.

Range of Values : 0,1

Example : 1

Element name : M_CDI

Format : Numeric

No. Characters : 1

Description : A Flag to indicate if the Member is a qualified colateral duty inspector.

Range of Values : 0,1

Example : 1

Element name : M_OTH

Format : Alphanumeric

No. Characters : 20

Description : A list of other significant Member qualifications.

Range of Values : NA

Example : Cross-rate CDI

Element name : M_ACH

Format : Alphanumeric

No. Characters : 50

Description : A list of other significant Member achievements.

Range of Values : NA

Example : Sailor of the Month

Element name : M_ADV

Format : Numeric

No. Characters : 8

Description : The date the Member will be eligible to begin rate advancement procedures. In calendar date form. MM/DD/YY.

Range of Values : MM: 01-12; DD: 01-31; YY:00-99

Example : 07/31/55

Element name : M_EVAL

Format : Numeric

No. Characters : 8

Description : The date the Member's next evaluation will be due. In calendar date form. MM/DD/YY.

Range of Values : MM: 01-12; DD: 01-31; YY:00-99

Example : 07/31/55

2. Flight Entities

The data fields for the flight entity were derived mostly from OPNAVINST 3710.7L, including the description of the Naval Aircraft Flight Record (OPNAV 3760/2 or "yellow sheet"), the source of most data for updating records based on flying hours.

a. Flight Entity

Entity name : Flight

Description : One or more aircraft proceeding on a common mission. For record and recording purposes, a flight begins when the aircraft first moves forward on its takeoff run or takes off vertically from rest at any point of support, and ends after airborne flight when the rotors are disengaged or the aircraft has been stationary for 5 minutes with the rotors engaged, or if a change has been made in the pilot-in-command.

Aliases :

Attributes : HAC Last Name (HAC_LNAME)
Flight Julian Date (FLT_JD)
Flight Take Off Time (FLT_T/O TIME)
Flight Identifier = HAC_LNAME + FLT_JD
+ FLT_T/O TIME (FLT_ID)
Flight Purpose Code (FPC)
Aircraft BUNO (AC_BUNO)
Helicopter Aircraft Commander
Social Security Number (HAC_SSN)
HAC First Pilot Hrs. (HAC_FP_HRS)
HAC Co-pilot hrs. (HAC_CP_HRS)
HAC Special Crew hrs. (HAC_SC_HRS)
HAC Aircraft Commander Hrs. (HAC_AC_HRS)
HAC Actual Instrument Hrs (HAC_ACT_HRS)

HAC	Simulated	Instrument	Hrs
(HAC_SIM_HRS)			
HAC Night Time (HAC_NT_HRS)			
HAC Landings code 1 (HAC_LD_1)			
HAC Landings code A (HAC_LD_A)			
HAC Landings code 6 (HAC_LD_6)			
HAC Landings code F (HAC_LD_F)			
HAC Approaches code 1 (HAC_AP_1)			
HAC Approaches code 2 (HAC_AP_2)			
HAC Approaches code 3 (HAC_AP_3)			
HAC Approaches code A (HAC_AP_A)			
HAC Approaches code B (HAC_AP_B)			
HAC Approaches code C (HAC_AP_C)			
Co-Pilot			
Social Security Number (CP_SSN)			
CP Last Name (CP_LNAME)			
CP First Pilot Hrs. (CP_FP_HRS)			
CP Co-pilot hrs. (CP_CP_HRS)			
CP Special Crew hrs. (CP_SP_HRS)			
CP Actual Instrument Hrs (CP_ACT_HRS)			
CP	Simulated	Instrument	Hrs
(CP_SIM_HRS)			
CP Night Time (CP_NT_HRS)			
CP Landings code 1 (CP_LD_1)			
CP Landings code A (CP_LD_A)			
CP Landings code 6 (CP_LD_6)			
CP Landings code F (CP_LD_F)			
CP Approaches code 1 (CP_AP_1)			
CP Approaches code 2 (CP_AP_2)			
CP Approaches code 3 (CP_AP_3)			
CP Approaches code A (CP_AP_A)			
CP Approaches code B (CP_AP_B)			
CP Approaches code C (CP_AP_C)			
Flight Total Hrs. = HAC_FP_HRS +			
CP_FP_HRS (FLT_TOT_HRS)			
Total Landings code 1 = HAC_LD_1 +			
CP_LD_1 (TOT_LD_1)			
Total Landings code A = HAC_LD_A +			
CP_LD_A (TOT_LD_A)			
Total Landings code 6 = HAC_LD_6 +			
CP_LD_6 (TOT_LD_6)			
Total Landings code F = HAC_LD_F +			
CP_LD_F (TOT_LD_F)			
Crewman last name (CM_LNAME)			
Crewman SSN (CM_SSN)			
Crewman Flt. Time (CM_FLT_TIME)			
ASW Hours Day (ASW_HRS_D)			
ASW Hours Night (ASW_HRS_N)			
ASST Hours Day (ASST_HRS_D)			
ASST Hours Night (ASST_HRS_N)			
Training Hours Day (TRG_HRS_D)			

Training Hours Night (TRG_HRS_N)
 Utility Hours Day (UT_HRS_D)
 Utility Hours Night (UT_HRS_N)
 Number of Passengers (NO_PAX)
 Number Pounds Cargo (LBS_CGO)
 FCF Hours Day (FCF_HRS_D)
 FCF Hours Night (FCF_HRS_N)

(1) Flight Attributes.

```

*****
Element name      :  HAC_LNAME
Format           :  Alphanumeric
No. Characters    :  15

Description       :  The legal last name of the Helicopter
                    Aircraft Commander (HAC) or Pilot-in-
                    Command. The HAC is assigned
                    responsibility for safe and orderly
                    conduct of the flight and his signature
                    of acceptance of the aircraft for
                    flight binds him to this
                    responsibility.

Range of Values   :  NA
Example          :  Smith
*****
Element name      :  FLT_JD
Format           :  Numeric
No. Characters    :  4

Description       :  The Julian Date that the flight
                    commences.

Range of Values   :  Year: 0-9
                    Day: 001-365
Example          :  5359 (25 Dec 85)
*****
Element name      :  FLT_T/O TIME
Format           :  Numeric
No. Characters    :  4
Description       :  The time logged that the aircraft
                    commenced flight.

Range of Values   :  0000-2359
Example          :  0530
*****
Element name      :  FPC
Format           :  Alphanumeric
No. Characters    :  3
  
```

Description : A three character code defining the primary purpose of the flight. FPCs are found in OPNAVINST 3710.7L. The three characters have separate meanings. The first denotes type operations and aviator status, the second, the general purpose of the flight, and the third, the specific purpose of the flight.

Range of Values : (1) A,1,C,3,D,E
(2) A-N, P-Z
(3) 0-9

Example : 1A2

Element name : HAC_SSN
Format : Numeric
No. Characters : 9

Description : The unique, Federally assigned Social Security Number of the HAC.

Range of Values : 0000000000-999999999

Example : 228807484

Element name : HAC_FP_HRS
Format : Alphanumeric
No. Characters : 4

Description : The portion of pilot time logged during which the HAC is positioned with access to the flight controls and is exercising principal active control of the aircraft. Logged as hours and tenths of hours.

Range of Values : 00.1-10.0

Example : 2.5

Element name : HAC_CP_HRS
Format : Alphanumeric
No. Characters : 4

Description : The portion of pilot time logged during which the HAC is positioned with access to the flight controls and is assisting the pilot exercising principal control of the aircraft. Logged as hours and tenths of hours.

Range of Values : 00.1-10.0

Example : 1.3

Element name : HAC_SP_HRS
Format : Alphanumeric
No. Characters : 4

Description : The portion of flight time logged by the HAC while not acting as first pilot or copilot, but otherwise serving as a member of the authorized crew. Logged as hours and tenths of hours.

Range of Values : 00.1-10.0

Example : 1.3

Element name : HAC_AC_HRS
Format : Alphanumeric
No. Characters : 4

Description : The individual flight time during which an individual, designated as a qualified aircraft commander in the aircraft being flown, is serving as pilot-in-command. For a designated HAC, $HAC_AC_HRS = HAC_FP_HRS + HAC_CP_HRS$. Logged as hours and tenths of hours.

Range of Values : 00.1-10.0

Example : 1.3

Element name : HAC_ACT_HRS
Format : Alphanumeric
No. Characters : 4

Description : The pilot time accrued while the aircraft is flown in actual instrument conditions. Actual time is credited to both the HAC and copilot. Logged as hours and tenths of hours.

Range of Values : 00.1-10.0

Example : 1.3

Element name : HAC_SIM_HRS
Format : Alphanumeric
No. Characters : 4

Description : The pilot time accrued while the aircraft is flown in simulated instrument conditions. Simulated time is credited to the HAC only when he is exercising principal control of the aircraft. Logged as hours and tenths of hours.

Range of Values : 00.1-10.0

Example : 1.3

Element name : HAC_NT_HRS

Format : Alphanumeric

No. Characters : 4

Description : The pilot time accrued while the aircraft is flown between official sunset and sunrise. Logged as hours and tenths of hours.

Range of Values : 00.1-10.0

Example : 1.3

Element name : HAC_LD_1

Format : Numeric

No. Characters : 2

Description : The number of landings the HAC logged under code 1 (ship/day).

Range of Values : 01-99

Example : 22

Element name : HAC_LD_A

Format : Numeric

No. Characters : 2

Description : The number of landings the HAC logged under code A (ship/night).

Range of Values : 01-99

Example : 10

Element name : HAC_LD_6

Format : Numeric

No. Characters : 2

Description : The number of landings the HAC logged under code 6 (field/day).

Range of Values : 01-99

Example : 10

Element name : HAC_LD_F

Format : Numeric

No. Characters : 2

Description : The number of landings the HAC logged under code F (field/night).

Range of Values : 01-99
 Example : 10

 Element name : HAC_AP_1
 Format : Numeric
 No. Characters : 2

 Description : The number of approaches the HAC logged under code 1 (precision/actual).

 Range of Values : 01-99
 Example : 10

 Element name : HAC_AP_2
 Format : Numeric
 No. Characters : 2

 Description : The number of approaches the HAC logged under code 2 (non-precision/actual).

 Range of Values : 01-99
 Example : 10

 Element name : HAC_AP_3
 Format : Numeric
 No. Characters : 2

 Description : The number of approaches the HAC logged under code 3 (automatic/actual).

 Range of Values : 01-99
 Example : 10

 Element name : HAC_AP_A
 Format : Numeric
 No. Characters : 2

 Description : The number of approaches the HAC logged under code A (precision/simulated).

 Range of Values : 01-99
 Example : 10

 Element name : HAC_AP_B
 Format : Numeric
 No. Characters : 2

 Description : The number of approaches the HAC logged under code B (non-precision/simulated).

Range of Values : 01-99
 Example : 10

 Element name : HAC_AP_C
 Format : Numeric
 No. Characters : 2

 Description : The number of approaches the HAC logged under code C (automatic/simulated).
 Range of Values : 01-99
 Example : 10

 Element name : CP_SSN
 Format : Numeric
 No. Characters : 9

 Description : The unique, Federally assigned Social Security Number of the copilot (CP).
 Range of Values : 000000000-999999999
 Example : 228807484

 Element name : CP_LNAME
 Format : Alphanumeric
 No. Characters : 15

 Description : The legal last name of the copilot.
 Range of Values : NA
 Example : Smith

 Element name : CP_FP_HRS
 Format : Alphanumeric
 No. Characters : 4

 Description : The portion of pilot time logged during which the CP is positioned with access to the flight controls and is exercising principal active control of the aircraft. Logged as hours and tenths of hours.
 Range of Values : 00.1-10.0
 Example : 2.5

 Element name : CP_CP_HRS
 Format : Alphanumeric
 No. Characters : 4

 Description : The portion of pilot time logged during which the CP is positioned with access

to the flight controls and is assisting the pilot exercising principal control of the aircraft. Logged as hours and tenths of hours.

Range of Values : 00.1-10.0

Example : 1.3

Element name : CP_SP_HRS

Format : Alphanumeric

No. Characters : 4

Description : The portion of flight time logged by the CP while not acting as first pilot or copilot, but otherwise serving as a member of the authorized crew. Logged as hours and tenths of hours.

Range of Values : 00.1-10.0

Example : 1.3

Element name : CP_ACT_HRS

Format : Alphanumeric

No. Characters : 4

Description : The pilot time accrued while the aircraft is flown in actual instrument conditions. Actual time is credited to both the HAC and copilot. Logged as hours and tenths of hours.

Range of Values : 00.1-10.0

Example : 1.3

Element name : CP_SIM_HRS

Format : Alphanumeric

No. Characters : 4

Description : The pilot time accrued while the aircraft is flown in simulated instrument conditions. Simulated time is credited to the CP only when he is exercising principal control of the aircraft. Logged as hours and tenths of hours.

Range of Values : 00.1-10.0

Example : 1.3

Element name : CP_NT_HRS

Format : Alphanumeric

No. Characters : 4

Description : The pilot time accrued while the aircraft is flown between official sunset and sunrise. Logged as hours and tenths of hours.

Range of Values : 00.1-10.0

Example : 1.3

Element name : CP_LD_1

Format : Numeric

No. Characters : 2

Description : The number of landings the CP logged under code 1 (ship/day).

Range of Values : 01-99

Example : 22

Element name : CP_LD_A

Format : Numeric

No. Characters : 2

Description : The number of landings the CP logged under code A (ship/night).

Range of Values : 01-99

Example : 10

Element name : CP_LD_6

Format : Numeric

No. Characters : 2

Description : The number of landings the CP logged under code 6 (field/day).

Range of Values : 01-99

Example : 10

Element name : CP_LD_F

Format : Numeric

No. Characters : 2

Description : The number of landings the CP logged under code F (field/night).

Range of Values : 01-99

Example : 10

Element name : CP_AP_1

Format : Numeric

No. Characters : 2

Description : The number of approaches the CP logged under code 1 (precision/actual).

Range of Values : 01-99

Example : 10

Element name : CP_AP_2

Format : Numeric

No. Characters : 2

Description : The number of approaches the CP logged under code 2 (non-precision/actual).

Range of Values : 01-99

Example : 10

Element name : CP_AP_3

Format : Numeric

No. Characters : 2

Description : The number of approaches the CP logged under code 3 (automatic/actual).

Range of Values : 01-99

Example : 10

Element name : CP_AP_A

Format : Numeric

No. Characters : 2

Description : The number of approaches the CP logged under code A (precision/simulated).

Range of Values : 01-99

Example : 10

Element name : CP_AP_B

Format : Numeric

No. Characters : 2

Description : The number of approaches the CP logged under code B (non-precision/simulated).

Range of Values : 01-99

Example : 10

Element name : CP_AP_C

Format : Numeric

No. Characters : 2

Description : The number of approaches the CP logged under code C (automatic/simulated).

Range of Values : 01-99

Example : 10

Element name : CM_LNAME

Format : Alphanumeric

No. Characters : 15

Description : The legal last name of the aircrewman.

Range of Values : NA

Example : Smith

Element name : CM_SSN

Format : Numeric

No. Characters : 9

Description : The unique, Federally assigned Social Security Number of the aircrewman.

Range of Values : 000000000-999999999

Example : 228807484

Element name : CM_FLT_TIME

Format : Alphanumeric

No. Characters : 4

Description : The time logged by an aircrewman while serving in an official aircrew capacity. Logged in hours and tenths of hours.

Range of Values : 00.1-10.0

Example : 3.6

Element name : ASW_HRS_D and ASW_HRS_N

Format : Alphanumeric

No. Characters : 4

Description : That portion of a flight during which actual or simulated Anti-submarine warfare is conducted. Logged in hours and tenths of hours.

Range of Values : 00.1-10.0

Example : 3.6

Element name : ASST_HRS_D and ASST_HRS_N
Format : Alphanumeric
No. Characters : 4

Description : That portion of a flight during which Anti-ship surveillance and targeting, actual or simulated, is conducted. Logged in hours and tenths of hours.

Range of Values : 00.1-10.0
Example : 3.6

Element name : TRG_HRS_D and TRG_HRS_N
Format : Alphanumeric
No. Characters : 4

Description : That portion of a flight during which training is conducted. Logged in hours and tenths of hours.

Range of Values : 00.1-10.0
Example : 3.6

Element name : UT_HRS_D and UT_HRS_N
Format : Alphanumeric
No. Characters : 4

Description : That portion of a flight during which utility missions are performed. Logged in hours and tenths of hours.

Range of Values : 00.1-10.0
Example : 3.6

Element name : NO_PAX
Format : Numeric
No. Characters : 2

Description : The number of passengers carried on the flight.

Range of Values : 01-50
Example : 10

Element name : LBS_CGO
Format : Numeric
No. Characters : 4

Description : The approximate number of pounds of cargo transported during the flight.

Range of Values : 0001-9999

Example : 500

Element name : FCF_HRS_D and FCF_HRS_N

Format : Alphanumeric

No. Characters : 4

Description : That portion of a flight during which Functional Check flights were is conducted. Logged in hours and tenths of hours.

Range of Values : 00.1-10.0

Example : 3.6

3. Maintenance Entities

The information relating to maintenance on the detachment aircraft may be found in OPNAVINST 4790 series and the SH-2F maintenance manuals.

a. Aircraft Entity

Entity name : Aircraft

Description : The helicopter assigned to a detachment for which the detachment assumes all maintenance, safety, and reporting responsibilities.

Aliases : Helicopter

Attributes : Aircraft Bureau Number (AC_BUNO)
Aircraft Side Number (AC_NLM)
Aircraft Model Designation (AC_MOD)
Aircraft Reporting Custodian Name (AC_RC_NAME)
Aircraft Reporting Custodian UIC (AC_RC_UIC)
Aircraft Controlling Custodian Name (AC_CC_NAME)
Aircraft Controlling Custodian UIC (AC_CC_UIC)
Aircraft Period Number (AC_PER_NLM)
Aircraft Period End Date (AC_PED)
Aircraft Extension Number (AC_EXT_NLM)
Aircraft Type Equipment Code (TEC)
Aircraft Acceptance Date (AC_ACC_DATE)

Aircraft Operating Months (AC_OP_MOS)
Aircraft Hours in Period (AC_PER_HRS)
Aircraft Status Code (AC_STATUS)

(1) Aircraft Attributes.

Element name : AC_BUNO
Format : Numeric
No. Characters : 6
Description : The unique identifier assigned to all Naval Aircraft.

Range of Values : 000000-999999
Example : 193445

Element name : AC_NUM
Format : Alphanumeric
No. Characters : 5
Description : An identifier assigned to squadron aircraft consisting of two alphabetic characters followed by a 3-digit number.

Range of Values : Alpha: A-Z ; Numeric: 000-999
Example : HV 134

Element name : AC_MOD
Format : Alphanumeric
No. Characters : 5
Description : The Navy's assigned model designation for an aircraft. The LAMPS helicopter is designated SH-2F.

Range of Values : Alpha: A-Z ; Numeric: 1-9
Example : SH-2F
(Note: the "-" may be omitted in some applications.)

Element name : AC_RC_NAME
Format : Alphanumeric
No. Characters : 13
Description : The activity maintaining reporting responsibility for an aircraft. For LAMPS detachments, this is the "DETACHMENT NAME."

Range of Values : Alpha: A-Z ; Numeric: 1-9
 Example : HSL-32 Det 1

 Element name : AC_RC_UIC
 Format : Numeric
 No. Characters : 5

 Description : The unit identification code of the activity maintaining reporting responsibility for an aircraft. For LAMPS detachments, this is the "DETACHMENT UNIT IDENTIFICATION CODE."

Range of Values : 00001-99999
 Example : 21405

 Element name : AC_CC_NAME
 Format : Alphanumeric
 No. Characters : 20

 Description : The name of the organization which maintains overall authority and responsibility for the detachment aircraft. For LAMPS detachments, this is either COMNAVAIRLANT or COMNAVAIRPAC.

Range of Values : NA
 Example : COMNAVAIRLANT

 Element name : AC_CC_UIC
 Format : Numeric
 No. Characters : 5

 Description : The unit identification code of the organization which maintains overall authority and responsibility for the detachment aircraft. For LAMPS detachments, this is either COMNAVAIRLANT or COMNAVAIRPAC.

Range of Values : 000001-99999
 Example : 21405

 Element name : AC_PER_NUM
 Format : Numeric
 No. Characters : 3

 Description : The service period in which the aircraft is now operating. Precede with zeros to make 3-digit number.

Range of Values : 001-999

Example : 004

Element name : AC_PED

Format : Numeric

No. Characters : 4

Description : The month and year the aircraft is expected to complete an operating service period of standard duration. (date period completed, if aircraft is on an extension.) Format MMY where MM is the number of the month and YY is the last two digits of the year.

Range of Values : MM: 01-12 YY: 00-99

Example : 1184 (November 1984)

Element name : AC_EXT_NUM

Format : Numeric

No. Characters : 2

Description : Indicates the number of the service period extension in which the aircraft is now serving.

Range of Values : 01-99

Example : 03

Element name : TEC

Format : Alphanumeric

No. Characters : 4

Description : Indicates the 3M designation of the aircraft. The code for the SH-2F is AHBH.

Range of Values : NA

Example : AHBH

Element name : AC_ACC_DATE

Format : Numeric

No. Characters : 6

Description : The month, day and year that the aircraft was accepted into the Naval Aircraft Inventory. Expressed as MMDDYY.

Range of Values : MM: 01-12 DD: 01-31 YY: 00-99

Example : 121583 (15 December 1983)

```

*****
Element name      :   AC_OP_MOS
Format           :   Numeric
No. Characters   :   3

Description      :   This number will represent the total
                    accumulation of operating service months
                    as of the end of the month and year
                    reported as AC_PED. Complete with
                    leading zeros to make 3 digits.

Range of Values  :   001-999
Example         :   022
*****
Element name      :   AC_PER_HRS
Format           :   Alphanumeric
No. Characters   :   6

Description      :   Represents the total flight hours
                    accumulated since the beginning of the
                    current period. Updated with each
                    flight entry. Reported as hours and
                    tenths of hours.

Range of Values  :   0000.0-9999.9
Example         :   1024.6
*****
Element name      :   AC_STATUS
Format           :   Numeric
No. Characters   :   1

Description      :   The total number of aircraft in A/B
                    reportable readiness status.

Range of Values  :   0-3
Example         :   1

```

b. Engine Entity

```

*****
Entity name      :   Engine

Description      :   The separately accountable component
                    installed in the aircraft or stored
                    aboard ship.

Aliases         :   Powerplant
Attributes      :   Engine Serial Number (ENG_SER_NUM)
                    Engine Type/model (ENG_MOD)

```


Engine Series (ENG_SER)
 Engine Reporting Custodian Name
 (ENG_RC_NAME)
 Engine Reporting Custodian UIC
 (ENG_RC_UIC)
 Engine Position Number (ENG_POS)
 Engine Controlling Custodian Name
 (ENG_CC_NAME)
 Engine Controlling Custodian UIC
 (ENG_CC_UIC)
 Engine Flight Operating Hrs. Since New
 (ENG_TSN)
 Engine Replacement Interval (ENG_INT)
 Engine Time Remaining Until Replacement
 (ENG_T_RMNG)
 Engine Extension Interval (ENG_EXT)
 Engine Time Remaining on Extension
 (ENG_EXT_RMNG)

(1) Engine Attributes.

 Element name : ENG_SER_NUM
 Format : Alphanumeric
 No. Characters : 7

Description : The seven-digit field used to identify each engine, assembly, or section of an engine. If ser. number less than seven digits, complete with leading zeros.

Range of Values : 00000000-99999999
 Example : 0051164

 Element name : ENG_MOD
 Format : Alphanumeric
 No. Characters : 7

Description : A Maximum 7-character field used to identify the type/model of the engine. No dashes, slashes or spaces.

Range of Values : NA
 Example : T58

 Element name : ENG_SER
 Format : Alphanumeric
 No. Characters : 5
 Description : A Maximum 5-character field used to

identify the engine series or "dash".
No dashes, slashes or spaces.

Range of Values : NA
Example : 8F

Element name : ENG_RC_NAME
Format : Alphanumeric
No. Characters : 13

Description : The activity maintaining reporting responsibility for an engine. For LAMPS detachments, this is the "DETACHMENT NAME."

Range of Values : Alpha: A-Z ; Numeric: 1-9
Example : HSL-32 Det 1

Element name : ENG_RC_UIC
Format : Numeric
No. Characters : 5

Description : The unit identification code of the activity maintaining reporting responsibility for an engine. For LAMPS detachments, this is the "DETACHMENT UNIT IDENTIFICATION CODE."

Range of Values : 00001-99999
Example : 21405

Element name : ENG_CC_NAME
Format : Alphanumeric
No. Characters : 20

Description : The name of the organization which maintains overall authority and accountability for the detachment engines. For LAMPS detachments, this is either COMNAVAIRLANT or COMNAVAIRPAC.

Range of Values : NA
Example : COMNAVAIRLANT

Element name : ENG_CC_UIC
Format : Numeric
No. Characters : 5

Description : The unit identification code of the organization which maintains overall authority and accountability for the

detachment aircraft. For LAMPS detachments, this is either COMNAVAIR-LANT or COMNAVAIRPAC.

Range of Values : 000001-99999

Example : 21405

Element name : ENG_POS

Format : Numeric

No. Characters : 1

Description : A one character field to indicate position of the engine on the aircraft. A "1" is the left on SH2F, "2" is the right.

Range of Values : 1,2

Example : 2

Element name : ENG_TSN

Format : Numeric

No. Characters : 5

Description : A five-character field used to indicate flight/operating hours on the engine accumulated since new. Reported in whole hours only, unrounded. Add leading zeros to complete five digits.

Range of Values : 00000-99999

Example : 00528

Element name : ENG_INT

Format : Numeric

No. Characters : 4

Description : The required replacement interval of an installed engine measured in whole flight hours.

Range of Values : 0000-9999

Example : 2000

Element name : ENG_EXT

Format : Numeric

No. Characters : 3

Description : The allowable extension interval of an installed engine measured in whole flight hours.

Range of Values : 000-999

Example : 200

Element name : ENG_T_RMNG

Format : Numeric

No. Characters : 4

Description : The number of hours remaining until an extension is required. It is computed by subtracting the daily flight time from the base flight time. The base is then updated to reflect the change.

Range of Values : 0000-9999

Example : 2000

Element name : ENG_EXT_RMNG

Format : Numeric

No. Characters : 3

Description : The number of hours remaining until an extension is exhausted.

Range of Values : 000-999

Example : 200

c. Component Entity

Entity name : Component

Description : Any of a number of aircraft parts which require periodic replacement. Required replacement intervals are contained in the SH-2F Maintenance manuals.

Aliases : High-time Component

Attributes : Component Nomenclature (C_NAME)
Component Serial Number (C_SER_NUM)
Component Part Number (C_PART_NUM)
Component Flight Operating Hrs. Since Overhaul (C_TSO)
Component Replacement Interval (C_INT)
Component Time Remaining Until Replacement (C_T_RMNG)
Component Extension Interval (C_EXT)
Component Time Remaining on Extension (C_EXT_RMNG)

(1) Component Attributes.

Element name : C_NAME
Format : Alphanumeric
No. Characters : 15

Description : The official name of the component.

Range of Values : NA
Example : Retention A

Element name : C_SER_NUM
Format : Alphanumeric
No. Characters : 15

Description : Used to identify each component, assembly, or section of a component. Obtained from the component Scheduled Removal Component card. (SRC)

Range of Values : NA
Example : SPD-992316

Element name : C_PART_NUM
Format : Alphanumeric
No. Characters : 15

Description : The technical part no. of the component as stated on the component SRC.

Range of Values : NA
Example : 996 25-5312

Element name : C_TSO
Format : Numeric
No. Characters : 5

Description : The time the aircraft component has accrued since the baseline time obtained from the SRC card.

Range of Values : 00000-99999
Example : 00528

Element name : C_INT

Format : Numeric
 No. Characters : 4

Description : The required replacement interval of a component measured in whole flight hours.

Range of Values : 0000-9999
 Example : 2000

 Element name : C_EXT
 Format : Numeric
 No. Characters : 3

Description : The allowable extension interval of a component measured in whole flight hours.

Range of Values : 000-999
 Example : 200

 Element name : C_T_RMNG
 Format : Numeric
 No. Characters : 4

Description : The number of hours remaining until an extension is required. It is computed by subtracting the daily flight time from the base flight time. The base is then updated to reflect the change.

Range of Values : 0000-9999
 Example : 2000

 Element name : C_EXT_RMNG
 Format : Numeric
 No. Characters : 3

Description : The number of hours remaining until an extension is exhausted.

Range of Values : 000-999
 Example : 200

 Element name : C_AUTH
 Format : Numeric
 No. Characters : 1

Description : A Flag to indicate whether an extension is allowable on a particular component.
 1=yes 0=no

Range of Values : 0,1

Example : 1

d. Inspection Entity

Entity name : Inspection

Description : Required scheduled maintenance to be performed on the detachment aircraft.

Aliases : Calendar Inspection, Phase Inspection

Attributes : Inspection Name (I_NAME)
Inspection Type (I_TYPE)
Inspection Interval (I_INT)
Inspection Time Remaining Until Due (I_T_RMNG)
Inspection Days Remaining Until Due (I_D_RMNG)
Inspection Extension Interval (I_EXT)
Inspection Time Remaining on Extension (I_TEXT_RMNG)
Inspection Days Remaining on Extension (I_DEXT_RMNG)
Inspection Extension Authorization (I_AUTH)

(1) Inspection Attributes.

Element name : I_NAME

Format : Alphanumeric

No. Characters : 15

Description : The name of the inspection.

Range of Values : NA

Example : PHASE A

Element name : I_TYPE

Format : Alphanumeric -

No. Characters : 1

Description : A one-character indicator as to whether the inspection's interval is calendar based (C), flight hour based (F), or

one-time (O).

Range of Values : C,F,O

Example : F

Element name : I_INT

Format : Alphanumeric

No. Characters : 5

Description : Describes the required interval within which the inspection must be performed. This may be either a number of days, or a number of flight hours. If it is based on days, the letter D should appear after the number.

Range of Values : NA

Example : 14D, 200

Element name : I_EXT

Format : Numeric

No. Characters : 5

Description : The allowable extension interval of an inspection measured in flight hours or days. Interval indicated is - + amount.

Range of Values : NA

Example : 2D, 10

Element name : I_T_RMNG

Format : Numeric

No. Characters : 3

Description : The number of hours remaining until an extension is required. It is computed by subtracting the daily flight time from the base flight time. The base is then updated to reflect the change. Used only with "F" inspections.

Range of Values : 000-999

Example : 200

Element name : I_D_RMNG

Format : Alphanumeric

No. Characters : 3

Description : The number of days remaining until an inspection must be performed. Used only with "C" inspections.

Range of Values : NA
 Example : 5D

 Element name : I_TEXT_RMNG
 Format : Numeric
 No. Characters : 3

 Description : The number of hours remaining until an extension is exhausted. Used with "F" type inspections.

 Range of Values : 000-999
 Example : 020

 Element name : I_DEXT_RMNG
 Format : Alphanumeric
 No. Characters : 3

 Description : The number of days remaining until an extension is exhausted. Used with "C" type inspections.

 Range of Values : NA
 Example : 3D

 Element name : I_AUTH
 Format : Numeric
 No. Characters : 1

 Description : A Flag to indicate whether an extension is allowable on a particular inspection.
 1=yes 0=no
 Range of Values : 0,1
 Example : 1

e. Ordnance Entity

 Entity name : Ordnance

 Description : Any of a number of aircraft-launched expendable devices used by the aircrew. Includes sonobuoys, Cartridge Activated Devices (CAD), and Sound Underwater Signals (SUS).

Aliases :
 Attributes : Ordnance Name (ORD_NAME)
 Ordnance Number Onboard (ORD_NO_OB)
 Ordnance Expended (ORD_EXP)
 Ordnance Expended Date (ORD_EXP_DATE)

(1) Ordnance Attributes.

 Element name : ORD_NAME
 Format : Alphanumeric
 No. Characters : 20

Description : The name and type of the ordnance.

Range of Values : NA
 Example : SSQ-41 SONOBUOY

 Element name : ORD_NO_OB
 Format : Numeric
 No. Characters : 4

Description : The total of the type indicated above
 currently. Updated with each
 expenditure or addition.

Range of Values : 0000-9999
 Example : 0324

 Ordnance Expended Date (ORD_EXP_DATE)
 Element name : ORD_EXP
 Format : Numeric
 No. Characters : 3

Description : The total expended in one 24-hr. period
 of type ordnance indicated above.

Range of Values : 000-999
 Example : 033

 Element name : ORD_EXP_DATE
 Format : Numeric
 No. Characters : 4

Description : The Julian date of the ordnance reported
 expended in ORD_EXP.

Range of Values : Y: 0-9; DDD: 001-365
 Example : 3321

4. Supply Entities

The source for supply information is NAVSUP P-485 Afloat Supply Manual.

a. Requisition Entity

Entity name : Requisition

Description : A document submitted for procurement of various items consumed or used by the detachment. The Navy standard form for requisitions is the DD form 1348. Requisition information is used to charge detachment and squadron accounts, to track squadron funds, and to track critical support items.

Aliases :

Attributes : Document Number (DOC_NUM)
Nomenclature (NOMEN)
National Item Identification Number (NIIN)
Unit (UNIT)
Quantity (QTY)
Project Code (CODE)
Requisition Status (STATUS)
Equipment Operational Code (EOC)
Fund Code (FC)
Requisition Cost (COST)

(1) Requisition Attributes.

Element name : DOC_NUM

Format : Alphanumeric

No. Characters : 16

Description : The unique identifier of the requisition composed of 3 separate fields: 1) a field identifying the LIO whose OPTAR funds will be charged; 2) the Julian Date of the requisition; and 3) the document serial number prescribed by local numbering policy.

Range of Values : NA
 Example : V20052-3033-G100
 (V indicates Atlantic Fleet, 20052 the
 charged UIC, 3033 2 February 83, and
 G100 the serial number assigned by the
 ship.)

Element name : NOMEN
 Format : Alphanumeric
 No. Characters : 20

Description : The technical name for the good
 procured.

Range of Values : NA
 Example : BEARING

Element name : NIIN
 Format : Numeric
 No. Characters : 11

Description : The National Item Identification Number
 of the good procured.

Range of Values : NA
 Example : 00-725-1212

Element name : UNIT
 Format : Alphanumeric
 No. Characters : 10

Description : The prescribed unit of the above NIIN.

Range of Values : NA
 Example : GAL (gallon)

Element name : QTY
 Format : Numeric
 No. Characters : 4

Description : The number of units procured.

Range of Values : 0000-9999
 Example : 0375

Element name : CODE
 Format : Alphanumeric
 No. Characters : 3

Description : The project code of the item procured.
 Codes from P-485.

Range of Values : NA
 Example : ZA9

 Element name : STATUS
 Format : Alphanumeric
 No. Characters : 20

 Description : Coded status of the requisition. Status indicates whether requisition is being processed, by whom, or if it has been referred, date referred, etc. Codes from P-485.

Range of Values : NA
 Example : 035/BA/018

 Element name : EOC
 Format : Alphanumeric
 No. Characters : 3

 Description : Equipment Operational Code as determined from the Mission Essential Subsystem Matrix (MESM) for the SH-2F.

Range of Values : NA
 Example : Z57

 Element name : FC
 Format : Alphanumeric
 No. Characters : 2

 Description : The code for the fund charged by the requisition.

Range of Values : NA
 Example : 7B

 Element name : FC
 Format : Numeric
 No. Characters : 8

 Description : The dollar value of the item procured.

Range of Values : 000000.01-999999.99
 Example : 375.00

5. Training Entities

a. Aircrew Exercise Entity

Entity name : Aircrew Exercise

Description : In order to obtain and retain proficiency and warfare readiness, aircrews are required to complete a minimum number of warfare exercises involving predefined scenarios. The scenarios are defined by Functional Wing Readiness manuals. The minimum requirements for successful completion of those exercises, as well as the matrix for determining Readiness status are also outlined in this manual. The source for these entities was COMHEL-SEACONWING ONE's Training and Readiness.

Aliases :
Attributes : Exercise Name (EX_NAME)
Exercise Date (EX_DATE)
Exercise Type (EX_TYPE)
Exercise Observer Type (EX_OBS_TYPE)
Exercise Pilot-in-Command (EX_PIC)
Exercise Coopilot (EX_CP)
Exercise Aircrewman (EX_AC)
Exercise Total Flt. Time (EX_FLT_T)
Exercise Expiration Date (EX_EXP)

(1) Aircrew Exercise Attributes.

Element name : EX_NAME
Format : Alphanumeric
No. Characters : 10

Description : The title of the exercise as determined in the Readiness Manual. May be a coded name.

Range of Values : NA
Example : A-44-UC

Element name : EX_DATE
Format : Alphanumeric
No. Characters : 8

Description : Date of the exercise described in numerical form MM/DD/YY (Month/Day/last two digits of the year.)

Range of Values : Month: 01-12
Day: 01-31
Year: 00-99

Example : 05/27/85 (27 May 85)

Element name : EX_TYPE

Format : Alphanumeric

No. Characters : 6

Description : Exercises required fall into four general categories: ASW, ASST, MOB, CCC depending on which warfare skills they emphasize and whether they are Traexs (T) or Selexes (S).

Range of Values : "ASW", "ASST", "MOB", "CCC", T, S

Example : ASW-S, MOB-T

Element name : EX_OBS_TYPE

Format : Alphanumeric

No. Characters : 1

Description : Exercises require a particular level of observer depending on the exercise. These levels are determined in the Readiness Manual: Q: Wing Approved; S: Wing Designated representative, CO, SWO qualified representative, or TAO; T: Officer-in-Charge or squadron designated representative.

Range of Values : Q, S, T

Example : Q

Element name : EX_PIC

Format : Alphanumeric

No. Characters : 15

Description : The last name of the pilot in command for the exercise.

Range of Values : NA

Example : Smith

Element name : EX_CP

Format : Alphanumeric

No. Characters : 15

Description : The last name of the copilot for the exercise.

Range of Values : NA
Example : Lee

Element name : EX_AC
Format : Alphanumeric
No. Characters : 15

Description : The last name of the aircrewman for the exercise.

Range of Values : NA
Example : Johnston

Element name : EX_FLT_T
Format : Alphanumeric
No. Characters : 4

Description : The total flight time logged for the exercise. Only for exercises where actual flying was performed.

Range of Values : 00.0-99.9
Example : 2.5

Element name : EX_EXP
Format : Alphanumeric
No. Characters : 8

Description : Expiration date of the exercise described in numerical form MM/DD/YY (Month/Day/last two digits of the year.) Expiration dates are dependent on the type of exercise, S or T. Selexes are good for one year; Traexs, for 6 months.

Range of Values : Month: 01-12
Day: 01-31
Year: 00-99

Example : 06/12/83

b. Ground Training Entity

Entity name : Ground Training

Description : Training conducted with the detachment to further professional development. Requirements determined by parent squadron.

Aliases :
Attributes : Training Type (TR_TYPE)
Training Date Conducted (TR_DATE)
Training Conductor (TR_COND)
Training Attendees (TR_ATT)
Training Total Time (TR_TIME)

(1) Ground Training Attributes.

Element name : TR_TYPE
Format : Alphanumeric
No. Characters : 20

Description : The general classification of the training conducted.

Range of Values : NA
Example : Plane Captain

Element name : TR_DATE
Format : Alphanumeric
No. Characters : 8

Description : The date the training was conducted described in numerical form MM/DD/YY (Month/Day/last two digits of the year.)

Range of Values : Month: 01-12
Day: 01-31
Year: 00-99

Example : 09/12/84

Element name : TR_COND
Format : Alphanumeric
No. Characters : 20

Description : The last name of the person conducting the training.

Range of Values : NA
Example : Holmes

```

*****
Element name      :   TR_ATT
Format           :   Alphanumeric
No. Characters   :   100

```

```

Description      :   The last names of those detachment
                    members attending the training.

```

```

Range of Values  :   NA
Example          :   Holmes, Smith, Jones, Blankenship

```

```

*****
Element name      :   TR_TIME
Format           :   Alphanumeric
No. Characters   :   4

```

```

Description      :   The total number of hrs. of training
                    conducted per session. Reported as
                    hours and tenths of hours.

```

```

Range of Values  :   00.0-99.9
Example          :   25.6

```

6. Other Entities

a. Date Entity

```

*****
Entity name      :   Date

```

```

Description      :   The particular time at which something
                    happens. A combination of days, months
                    and years that define when the event
                    occurred or is to occur.

```

```

Aliases         :
Attributes       :   Calendar Date (CAL_DATE)
                    Julian Date (JUL_DATE)
                    Date-Time Group (DTG)
                    System Date (SYS_DATE)

```

(1) Date Attributes.

```

*****
Element name      :   CAL_DATE
Format           :   Alphanumeric
No. Characters   :   8

```

```

Description      :   Date described in numerical form

```


MM/DD/YY (Month/Day/last two digits of the year.)

Range of Values : Month: 01-12
Day: 01-31
Year: 00-99

Example : 12/25/85 (25 December 85)

Element name : JUL_DATE
Format : Numeric
No. Characters : 4

Description : Date described in numerical form
Y + DDD where Y is the last digit of the year, and DDD is the numerical value of the day on 365 day scale.

Range of Values : Year: 0-9
Day: 001-365

Example : 5359 (25 December 85)

Element name : DTG
Format : Alphanumeric
No. Characters : 12

Description : Date described in form DDTTTTZ + Month
+ YY where DD is the day, TTTT is the time expressed in 24 hour time, Z is the time zone, Month is the three letter abbreviation for the month, and YY is the last two digits of the year.

Range of Values : Year: 00-99
Day: 01-31
Time: 0000-2359
Zone: A-Z
Month: JAN, FEB, MAR, APR, MAY, JUN, JUL, AUG, SEP, OCT, NOV, DEC

Example : 232129Z APR 85

Element name : SYS_DATE
Format : Alphanumeric
No. Characters : 8

Description : Date described in numerical form
MM/DD/YY (Month/Day/last two digits of the year. Current date entered when updating system.] May also be expressed as SYS_JD, or the system date converted to Julian form.

Range of Values : Month: 01-12

Day: 01-31
Year: 00-99

Example : 12/25/85 (25 December 85)

b. Report Entity

Entity name : Report

Description : LAMPS reports contain compiled data obtained over the course of a specified period. A list of the common LAMPS recurring reports is included as Appendix B. If sent as a Naval Message, the report will include attributes of the message header.

Aliases :

Attributes : Report Precedence (PRECEDENCE)
Reporting Addressee (REPORTING_ADDEE)
Action Addressee (ACTION_ADDEE)
Information Addressees (INFO_ADDEE)
Report Classification (CLASS)
Report Name (R_NAME)
Report Reference (REF)
Specific Data fields

The data fields are defined in App. B as well as the source of the data.

c. USER Entity

Entity name : USER

Description : Anyone authorized to access the system to process, review or update.

Aliases :

Attributes : USER Name (USER_NAME)
USER Identification (USER_ID)

(1) USER Attributes.

```
*****
Element name      :   USER_NAME
Format           :   Alphanumeric
No. Characters    :   15

Description       :   The legal last name of the user.

Range of Values   :   NA
Example          :   Herrmann
*****
Element name      :   USER_ID
Format           :   Numeric
No. Characters    :   9

Description       :   The user's social security number.

Range of Values   :   000000000-999999999
```

d. Reminder Entity

The Reminder is a user defined entity. The user specifies the event he would like to be reminded of, the date, and the number of warning days ahead he would like the reminders to start. These reminders are updated whenever SYS_DATE is entered until the event is due or the reminder is deleted.

```
*****
Entity name       :   Reminder

Description       :   Events defined by type and date used for
                        time management by users.

Aliases          :
Attributes       :   Reminder Name (REM_NAME)
                    :   Reminder Date (REM_DATE)
                    :   Reminder No. Warning Days (REM_WDAYS)
```

(1) Reminder Attributes.

```
*****
Element name      :   REM_NAME
Format           :   Alphanumeric
No. Characters    :   30

Description       :   A description of the event that the user
```

wants to be reminded of.

Range of Values : NA
Example : EQQ Due

Element name : REM_DATE
Format : Numeric
No. Characters : 8

Description : Date described in numerical form
MM/DD/YY (Month/Day/last two digits of
year.)

Range of Values : Month: 01-12
Day: 01-31
Year: 00-99
Example : 12/25/85 (25 December 85)

Element name : REM_WDAYS
Format : Numeric
No. Characters : 3

Description : The number of days in advance that the
user wishes the reminders to begin on a
desired event.

Range of Values : 001-364
Example : 014

V. CONCLUSIONS AND RECOMMENDATIONS

A. CONCLUSIONS

This thesis has presented a requirements analysis for a microcomputer system designed to help automate the tedious and error-prone task of compiling and maintaining LAMPS detachment administrative data. It has presented a logical view of the data that the typical detachment is tasked with collecting and processing, and has proposed the functions that such an automated system should serve. This data is essential to higher authority who must account for the detachment. Therefore, a system which can improve data integrity while reducing the burden on the detachment so that it can better perform its primary mission is critical and should be implemented as soon as possible.

1. User vs. Analyst Views

Throughout the development of the project, however, the author has been continually evaluating whether the "right" system has been proposed, and has tried to avoid becoming what Barry Boehm calls a "computer basket weaver", an analyst who "weaves" a system, losing sight of the end user desires and user compatibility. As a previous practitioner of the manual methods now used by detachments, both as a Maintenance Officer and Officer-in-Charge, the author has played a dual role in the project as both user and systems analyst. As a user, the primary drivers were

system usefulness and applicability. As an analyst, expandability, maintenance, and system structure were important considerations. There are design features presented which should satisfy both points of view.

The system must save the user time and reduce repetition if it is to be used. Functional breakdowns were made assuming user-friendliness will be a major consideration in detailed design. The system prompts the user for information into pre-established data fields, and uses data from various databases to reduce repetitive key strokes.

The functions have also been arranged with expandability and ease of maintenance features in mind. The design is modular so that structured detailed design can be used for independent coding and testing. Two functions, "Create databases" and "Review/Update reports" have been included so that the user with some programming experience may tailor the system to his individual needs.

2. Ad Hoc Queries

It would be a trivial application to use a powerful microcomputer to merely add up totals in compiled reports. Recent reductions in the sales of "home" computers have demonstrated that a pencil is still the tool of choice when balancing a checkbook. The system should not create extra burden for the detachment. Inevitably, users must learn to trust the electronic system as the primary means of data manipulation before it becomes more than a double-entry

nuisance. As a database system, ad hoc queries of the data would be possible. This feature has not been formally defined in this work because specific menu-driven queries would be very limiting in this application. If the system were coded in an off-the shelf DBMS like dBase II¹, a skilled user would be able to query the databases in any application he chooses. For example, a user may wish to know during how many flights, and on which days within a specified period, was ASW the primary purpose of the flight? Using dBASE II, he would enter the FLIGHT database and query:

```
LIST FOR FPC="ASW" AND FLT_JD >3250 AND FLT_JD<3300  
FIELD FLT_ID
```

This would yield a list of flight identifiers from which the user could determine the information he sought. Clearly, many queries could be similarly conducted.

B. RECOMMENDATIONS

The need for an automated data processing system for LAMPS detachment has been well documented and the system should be implemented as soon as possible. Some recommendations as to system design:

1. System should be coded in dBASE II or III.

These DBMSs offer data file creation features, relative programming ease, query language, and large capacities. In addition, the software is

¹ dBASE II and dBASE III are registered trademarks of Ashton-Tate, Inc.

widely used and well supported. Many users may be already familiar with them, as dBASE II is being issued as standard software to some squadrons.

2. System should be designed for use on a hard-disk based hardware system for more rapid responsiveness and greater capacity for records.
3. A maintenance data system should be designed.

There is a large volume of maintenance data generated for the 3M system.. This data was not considered in this thesis as its inclusion would merely repeat the existing system. Currently, 3M data is mailed to the parent squadron and manually input in the 3M system by an analyst. With a compatible system at-sea, detachments would only have to mail completed disks, thus eliminating manual input.

APPENDIX A

SAMPLE INTERVIEW QUESTIONS

The following questions were used to determine user requirements for the reporting system application. They were presented during in-person interviews with members of HSL-35 and HSL-33, and during telephone conversions with members of HSL-32 and HSL-34. The respondents were primarily experienced Officers-in-Charge and Maintenance Officers.

1. What is your level of at-sea LAMPS experience ?
2. Approximately what percentage of your crew's time at sea is spent record-keeping and preparing reports ?
3. Have you devised any methods to try to streamline this workload ?
4. Have you ever used a micro-computer on detachment ? Which one ?
5. What did you find you could do more efficiently with a micro-computer ?
6. What is your level of computer experience ?
7. Did any of the other detachment members have computer experience ?
8. Would you like to see micro-computers issued to all LAMPS detachments ?

9. In what ways do you think using a micro-computer would benefit the detachment ?

For maintenance ?

For flight operations ?

For personnel administration ?

For training ?

10. Could you briefly outline the current system for record-keeping and reporting that you used on your last detachment ?

11. How did you maintain the integrity of your data ? What type of error checking scheme did you use, if any ?

12. How much time would you be willing to devote to training your detachment to use the computer effectively ?

13. Have you noticed a command emphasis on the use of micros on detachment ? In the squadron ?

14. Finally, do you think an automated data base system run on a micro-computer will be beneficial to detachment operations ?

APPENDIX B

LIST OF LAMPS RECURRING REPORTS

The following list represents the recurring reports required of most deployed detachments. Individual squadron and detachment directives may require different data fields than those listed.

The data fields are described by name and source entity. Where the source entity is indicated by "user", it means the data is user provided. For sources indicated as the report names themselves, it means information recurs in all reports and is obtained from archived reports in the reports file.

Report name : Aircraft Custody Change/Status (XRAY)

Reference : OPNAVINST 5442.2E

Periodicity : as required

Description : Reports aircraft inventory change. XRAY is normally prepared by the reporting custodian and transmitted to the controlling custodian. Information compiled from flight, maintenance, and personnel records, and from user provided information.

Data Fields

NAME

SOURCE

- | | |
|---------------------------------------|------------|
| 1. PRECEDENCE | XRAY |
| 2. REPORTING_ADDEE | XRAY |
| 3. ACTION_ADDEE | XRAY |
| 4. INFO_ADDEES | XRAY |
| 5. CLASS | XRAY |
| 6. AC_CC_NAME | AIRCRAFT |
| 7. R_NAME | XRAY |
| 8. DET_NAME | DETACHMENT |
| 9. Report serial number (XRAY_SER_NO) | XRAY |
| 10. REF | XRAY |
| A. AC_BUND | AIRCRAFT |
| B. AC_PUC | AIRCRAFT |
| C. XRAY Action Date (XRAY_ACT_DATE) | USER |
| D. XRAY Action Code (XRAY_ACT_CODE) | USER |
| E. XRAY Status Code (XRAY_STAT) | USER |
| F. AC_MOD | AIRCRAFT |

NOTE: Each XRAY must contain an entry in data items A through H and M. All other entries are as applicable as determined from the applicability matrix contained in the reference.

G. AC_PER_NUM (if applicable)	AIRCRAFT
H. AC_PED (if applicable)	AIRCRAFT
I. AC_EXT (if applicable)	AIRCRAFT
J. Strike/damage Code (XRAY_STR_CODE) (if applicable)	USER
K. Aircraft Acceptance Date (AC_ACC_DATE) (if applicable)	AIRCRAFT
L. Reserved for future use	
M. Operating Service Months (AC_OP_MOS) (if applicable)	AIRCRAFT
N. Estimated Rework Completion Date (XRAY_RWK_DATE) (if applicable)	USER
O. PUC of unit or rework activity (RWK_PUC) (if applicable)	USER
P. Unit received from/Command Code (XRAY_RCV) (if applicable)	USER
Q. Delete/Correct	USER
R. DET_ORG_CODE (if applicable)	DETACHMENT
S. Operational Category Code (XRAY_OPCAT) (if applicable)	USER
T. Fleet Assignment Code (XRAY_FAC) (if applicable)	USER
U. Mid-Term (if applicable)	USER
V-Z. Reserved for future use.	
11. Remarks (XRAY_RMKS) (narrative)	USER

Report name : Aircraft Accounting Audit Report
 Reference : OPNAVINST 5442.25
 Periodicity : 2400 31 August, 30 November, 23/29
 February, 31 May

Description : Provides for automatic audit and correction of the controlling custodian and the CNO data banks. Information compiled from flight, maintenance, and personnel records, and from user provided information.

Data Fields

NAME	SOURCE
1. PRECEDENCE	AAAR
2. REPORTING_ADDEE	AAAR
3. ACTION_ADDEE	AAAR
4. INFO_ADDEES	AAAR

5. CLASS	AAAR
6. R_NAME (AIRCRAFT ACCOUNTING AUDIT REPORT OPNAV 5442-6)	AAAR
7. REF (OPNAVINST 5442.2E)	AAAR
8. DET_NAME	DETACHMENT
9. DET_PUC	DETACHMENT
10. QUARTER_END_DATE	USER
11. Items C,D,E,F,G,H,I,J,K,L (if applicable),M	
C. AC_BUND	AIRCRAFT
D. XRAY_ACT_DATE	XRAY
E. XRAY_STAT	XRAY
F. AC_MOD	AIRCRAFT
G. AC_PER_NUM	AIRCRAFT
H. AC_PED	AIRCRAFT
I. AC_EXT_NUM	AIRCRAFT
J. Flying Hours in Period = old AC_PER_HRS + sum reporting period beginning date (FLT_TOT_HRS) to reporting period end date. Whole hours only, no roundup.	AIRCRAFT/ FLIGHT
K. Flying Hours in Life = sum all previous periods plus current period computed in J.	AIRCRAFT/ FLIGHT
L. "D" or "C" (delete/correct)	USER
M. always 09	AAAR

Report name : Engine Transaction Report (ETR)
Reference : COMNAVAIRLANT/COMNAVAIRPAC INST 13720.3K
Periodicity : as required

Description : Reports changes in aircraft engine
status/location. Reporting Custodians
submit to Controlling Custodians.
Information compiled from flight,
maintenance, and personnel records. and
from user provided information.

Data Fields

NAME	SOURCE
1. PRECEDENCE	ETR
2. REPORTING_ADDEE	ETR
3. ACTION_ADDEE	ETR
4. INFO_ADDEES	ETR
5. CLASS	ETR
6. R_NAME "ENGINE TRANSACTION"	ETR

REPORT (NAVAIR 13700-2) "

7. REF	ETR
8. DET_NAME	DETACHMENT
9. "ETR"	ETR
10. ETR serial number (CURR_ETR_SER_NO)	USER
11. "LAST ETR"	ETR
12. Last ETR serial number and DTG of message (LAST_ETR_SER_NO)	ETR
13. Transaction	
a. Transaction serial number (ETR_TRANS_NO)	USER
b. ENG_SER_NUM	ENGINE
c. Status-STAR code (ETR_STAT)	USER
d. Julian date of the ETR transaction (ETR_JD)	USER/ SYS_DATE
e. ENG_MOD	ENGINE
f. ENG_SER	ENGINE
g. DET_UIC	DETACHMENT
h. ENG_TSN = old ENG_TSN + sum since last report date (FLT_TOT_HRS).	ENGINE/ FLIGHT

NOTE: Transaction items a-g are required for all reports. The others are required as a result of a particular Star-Status combination as outlined in 13700.9K

i. Reporting Custodian rcvd from/ transferred to UIC (ETR_RCTRANS_UIC) (if required)	USER
j. New Controlling Custodian transferred to UIC (ETR_CCTRANS_UIC) (if required)	USER
k. AC_MOD (if required)	AIRCRAFT
l. AC_BUNO (if required)	AIRCRAFT
m. ENG_POS (if required)	ENGINE
n. Reason for removal code (ETR_REM_CODE) (if required)	USER
o. QECA configuration (ETR_QECA) (if required)	USER
p. BCM/AWM/INSP code (ETR_BCM_CODE) (if required)	USER
q. Location Code UIC (ETR_LOC_UIC) (if required)	USER
r. Job Control Number (ETR_JCN) (if required)	USER
14. Remarks (ETR_RMKS) (Narrative)	USER

Report name : End of Quarter (EOQ) Report
Reference : COMNAVAIRLANT/COMNAVAIRPAC INST 13700.9K

Periodicity : 2400 28/29 February, 31 May, 31 July, and 30 November.

Description : To provide quarterly audit of all engines under Controlling Custodian's control. Reporting Custodian transmits to Controlling Custodian. Information compiled from flight, maintenance, and personnel records, and from user provided information.

Data Fields

<u>NAME</u>	<u>SOURCE</u>
1. PRECEDENCE	EOQ
2. REPORTING_ADDEE	EOQ
3. ACTION_ADDEE	EOQ
4. INFO_ADDEES	EOQ
5. CLASS	EOQ
6. R_NAME "END-OF-QUARTER (EOQ) REPORT (NAVAIR 13700-2)"	EOQ
7. REF	EOQ
8. "EOQ Report Status-STAR 11-90"	EOQ
9. "EOQ date" (EOQ_JD)	USER/SYS_DATE
10. "Prepared by:"	
a. Name (EOQ_PREP_NAME)	USER
b. Rank/rate (EOQ_PREP_RANK)	USER
c. AUTOVON telephone num. (if required)	USER
11. DET_UID	DETACHMENT
12. Total aircraft by model in reporting custodian's custody. (EX: ACFT Model: SH-2F, 1)	USER
13. EOQ transaction (for each installed engine):	
a. ENG_SER_NUM	ENGINE
b. ENG_MOD	ENGINE
c. ENG_SER	ENGINE
d. ENG_TSN = old ENG_TSN + sum since last report date (FLT_TOT_HRS)	ENGINE/ FLIGHT
e. AC_MOD	AIRCRAFT
f. AC_BUNO	AIRCRAFT
g. ENG_POS (if required)	ENGINE
14. Remarks (EOQ_RMKS) (Narrative)	USER

Report name : Aircraft Material Readiness Report
Reference : COMNAVAIRPAC/COMNAVAIRLANT INST 5442.3A
Periodicity : Daily, while deployed, to include at-sea,
in port, and shore-based periods.

Description : Provides standard format and procedures for reporting essential near real-time data elements not currently available via 3-M data collection methods. Information compiled from flight, maintenance, supply, and personnel records, and from user-provided data.

Data Fields

NAME	SOURCE
1. PRECEDENCE	AMRR
2. REPORTING_ADDEE	AMRR
3. ACTION_ADDEE	AMRR
4. INFO_ADDEES	AMRR
5. CLASS	AMRR
6. R_NAME "AIRCRAFT MATERIAL READINESS REPORT 5442-14"	AMRR
7. Status/Location	
a. Local DTG of Report (LOC_DTG)	USER
b. present geographical location (SH_GEO_LOC)	USER
c. (DET_SHIP_NAME)	DETACHMENT
d. (JUL_DATE)	SYS_DATE
e. Next Port call and Julian Date (at sea) (NEXT_PORT, NEXT_PORT_JD or Next Underway Date (NEXT_UWAY_JD) if in port	USER
f. DET_NAME	DETACHMENT
g. AC_MOD	AIRCRAFT
h. AC_STATUS	AIRCRAFT
i. FMC On Board (FM_OB) or FMC Ashore (FM_SH)	USER
j. Mission Capable onboard (MC_OB) or Mission Capable ashore (MC_SH)	USER
k. ASW capable aircraft on board/ashore. (ASW)	USER
l. ASU capable aircraft on board/ashore (Atlantic Fleet detachments only.) (ASU)	USER
m. FMC sorties (FMC_SOR)	USER
n. Sorties Scheduled (SOR_SCH)	USER
o. Sorties Flown. (SOR_FLN)	USER
p. Flight Hours (for current month rounded to nearest whole hour.) (FH = sum FLT_TOT_HRS from beginning of month until report date.)	FLIGHT/ SYS_DATE
q. NMC Requisitions Outstanding (NMC_RQN)	SUPPLY
r. PMC Requisitions Outstanding	SUPPLY

(PMC_RQN)

8. Capability Logistics Summary

- a. percent mission capable/ USER
percent full mission capable/
percent ASW capable (MC_PCT,
FMC_PCT, ASW_PCT)

9. Outstanding Requisitions (significant)

- a. NOMEN SUPPLY
b. DOC_NUM SUPPLY
c. NIIN SUPPLY
d. QTY SUPPLY
e. CODE SUPPLY
f. STATUS SUPPLY

Transaction Date/Status code/Activity
/Estimated Shipping Date

- g. EOC SUPPLY

10. Significant Maintenance Support Problems USER

(MAINT_NARR (narrative))

11. Aircraft Down time (NMC_HRS) USER

12. Declassification Date SYS_DATE
(JUL_DATE +6 Mos.)

The Ten day feeder format is prescribed by the detachment's parent squadron and, although all squadrons require the report, the format is not uniform fleet-wide. Therefore, the entries will not be included in the data dictionary. The following is the format used by HSL-35 and is representative of the information required by LAMPS squadrons.

Report name : Ten Day Feeder Report
Reference : Individual squadron instruction, derived from OPNAVINST 7310
Periodicity : 2400 each ten days at sea, as required when in port or shorebased.

Description : The Ten day feeder is used by parent squadrons to monitor funds spent by the detachments for fuel, consumables, and repairable items. Flight operation information is provided to find a cost/flight hour ratio for budgeting use. Information is compiled from flight, supply, and maintenance records, and user provided data.

Data Fields

NAMESOURCE

- | | |
|---|--------------|
| 1. PRECEDENCE | 10 DAY FEED. |
| 2. REPORTING_ADDEE | 10 DAY FEED. |
| 3. ACTION_ADDEE | 10 DAY FEED. |
| 4. INFO_ADDEES | 10 DAY FEED. |
| 5. CLASS | 10 DAY FEED. |
| 6. Subject | |
| a. DET_NAME (HSL-35 Det 3) | 10 DAY FEED. |
| b. R_NAME "OPNAVREPORT 7310-1" | 10 DAY FEED. |
| c. Period of report (inclusive dates) | USER |
| 7. "OPS SUMMARY" | |
| a. Flight Hours | |
| 1. 10 Day | |
| a. Day (sum of FLT_TOT_HRS within report period dates.) | FLIGHT |
| b. Night (sum of HAC_NT_HRS within report period dates.) | FLIGHT |
| 2. Month | |
| a. Day (sum of FLT_TOT_HRS within month beginning date and report date.) | FLIGHT |
| b. Night (sum of HAC_NT_HRS within month beginning date and report date.) | FLIGHT |
| 8. "GAL FUEL CONSUMED" | |
| a. 10 Day | SUPPLY |
| b. Month | SUPPLY |
| 9. Funds expended. | |
| a. 7B funds consumed. | SUPPLY |
| AC_TEC/ NOMEN/ SOURCE UIC/ QTY/ COST/ DOC_NUM (each instance) | |
| b. 9J funds consumed. | SUPPLY |
| QTY/ DOC_NUM/ SOURCE UIC/ COST (each instance) | |
| c. 7F funds consumed. | SUPPLY |
| DOC_NUM/ COST/ AIRCREW (each instance) | |
| d. WA funds consumed. | SUPPLY |
| DOC_NUM/ COST (each instance) | |
| 10. Remarks: (narrative) | USER |
| 11. Registered mail and tech. subs recvd. (narrative) | USER |
| 12. Aircraft availability | USER |
| a. Hrs. FMC (Full Mission Capable) | |
| b. Hrs. PMC (Partial Mission Capable) | |
| c. Hrs. NMC (Not Mission Capable) | |
| d. Outstanding Pri 2 requisitions: | SUPPLY |
| DOC_NUM/ NOMEN | |

The CRUISEREP is a status report distributed by the detachment monthly. It reports detachment activity in flight, training, maintenance, safety, and operations, and serves as a "newsletter" for the detachment. All squadrons have a requirement for this report but directives vary as to its contents. Information is compiled from records in all areas, and user supplied information. The following is an example from HSL-32.

Report name : CRUISEREP
 Reference : squadron instruction
 Periodicity : monthly, while deployed

Description : Provides detachment statistics and a general update of detachment activity for historical purposes.

Data Fields

<u>NAME</u>	<u>SOURCE</u>
1. PRECEDENCE	CRUISEREP
2. REPORTING_ADDEE	CRUISEREP
3. ACTION_ADDEE	CRUISEREP
4. INFO_ADDEES	CRUISEREP
5. CLASS	CRUISEREP
6. R_NAME (DET_NAME "CRUISEREP" for month/yr	CRUISEREP/ USER
7. Period of Report	USER
8. DET_RED_STAT	DETACHMENT
9. Deployment Statistics	
a. Days at sea	USER
b. Days in port	USER
c. Days round-the-clock ops	USER
d. Days shorebased.	USER
10. Flight data summary	
a. Number of flights	FLIGHT
1. Day	
2. Night	
b. Total Hours	FLIGHT
1. Day (sum FLT_TOT_HRS over report period)	
2. Night (sum HAC_NT_HRS over report period)	
c. Sorties	AMRR
1. Sorties scheduled (sum SOR_SCH over period)	
2. Sorties flown (sum SOR_FLN over period)	
3. Percentage (SOR_FLN/SOR_SCH * 100)	CRUISEREP
d. Ship landings	FLIGHT

1. Day (sum TOT_LD_1 over report per.)
2. Night (sum TOT_LD_A over report per.)
- e. Field landings FLIGHT
 1. Day (sum TOT_LD_6 over report per.)
 2. Night (sum TOT_LD_F over report per.)
- f. Shorebased flight time USER
 1. Day
 2. Night
- g. Pilot qualifications PILOT/FLIGHT
(for each detachment pilot)
 1. Total flight time (old P_TOT + sum HAC_FP_HRS + CP_FP_HRS over report period)
 2. P_FYP
 3. P_FYN
 4. P_FYA
 5. P_FYS
- h. Pilot time for report period PILOT/FLIGHT
 1. Pilot time (sum HAC_FP_HRS + HAC_CP_HRS, or CP_FP_HRS + CP_CP_HRS if not HAC over report period.
 2. Night time (sum HAC or CP_NT_HRS over report period.
 3. P_SAN
 4. DLQ expiration date PILOT
 - a. P_DDLQ
 - b. P_NDLQ
10. Mission/Sortie breakdown
 - a. ASW flight hours FLIGHT
 1. Day (sum ASW_HRS_D for report period)
 2. Night (sum ASW_HRS_N for report period)
 - b. ASST flight hrs. FLIGHT
 1. Day (sum ASST_HRS_D for report period)
 2. Night (sum ASST_HRS_N for report period)
 - c. Training flight hours FLIGHT
 1. Day (sum TRG_HRS_D for report period)
 2. Night (sum TRG_HRS_N for report period)
 - d. Utility flight hours FLIGHT
 1. Day (sum UT_HRS_D for report period)

- 2. Night (sum UT_HRS_N for report period)
- 3. No. of passengers (sum NO_PAX)
- 4. Pounds of cargo (sum LBS_CGO)
- 5. Self-lift
- e. Functional check flight hours FLIGHT
 - 1. Day (sum FCF_HRS_D for report per.)
 - 2. Night (sum FCF_HRS_N)
- f. Other flight hours USER
 - 1. Day
 - 2. Night
- 11. ASW data
 - a. ASW search time RAINFORM PURP.
 - 1. Day
 - 2. Night
 - b. ASW contact time RAINFORM PURP.
 - 1. Day
 - 2. Night
 - c. Contacts RAINFORM PURP.
 - 1. Number
 - 2. Type
 - 3. Hrs. held
 - d. Exercise torpedoes RAINFORM PURP.
 - 1. FY
 - 2. Month
 - e. Simulated attacks (.no)
- 12. Coordinated air operations USER
 - (narrative)
- 13. Hrs. of multi-LAMPS operations. USER
- 14. Training data
 - a. Qualifications PILOT/AIRCREW /MEMBER
 - 1. Due
 - 2. Overdue
 - 3. Completed
 - b. Training completed (man hrs) GROUND TRAIN.
 - 1. Total (TR_TIME of all types with TR_DATE within report period.)
 - 2. Professional (TR_TIME of type "Professional" with TR_DATE within report period.)
 - 3. OJT (TR_TIME of type "OJT" with TR_DATE within report period.)
 - 4. Corrosion (TR_TIME of type "Corrosion" with TR_DATE within report period.)
 - 5. Plane Captain (TR_TIME of type "Plane Captain" with TR_DATE

- within report period.)
- 6. Cross-rate (TR_TIME of type "Cross-rate" with TR_DATE within report period.)
- 7. GMT / Damage Control (TR_TIME of type "GMT/Damage Control" with TR_DATE within reporting period.)
- c. Narrative USER
- d. Exercises completed (for each exercise) AIRCREW EX.
 - 1. EX_NAME
 - 2. EX_DATE
 - 3. Participating crew
 - a. EX_PIC
 - b. EX_CP
 - c. EX_AC
- e. Ship/fleet exercise summary: (narrative) USER
- f. Individual flight crew member readiness status (for each member) PILOT/AIRCREW
 - 1. P_NAME and P_RANK or AC_NAME and AC_RATE
 - 2. P_READ or AC_READ
- g. Torpedo exercises completed USER
- 15. Tac D&E submissions this calendar year USER
 - a. Tacmemos
 - 1. Title
 - 2. Date submitted
 - b. Tacfacs
 - 1. Title
 - 2. Date submitted
 - c. Lessons Learned
 - 1. Title
 - 2. Date submitted.
 - d. Other
- 16. Maintenance Data USER
 - a. Narrative
 - b. Supply/AIMD support narrative

(NOTE: mission capability percentages are compiled from VIDS/MAF summaries of EOC impacted maintenance activity. Data kept by maintenance crew.

- c. Percentage
 - 1. FMC
 - 2. PMCM
 - 3. PMCS
 - 4. NMCM
 - 5. NMCS
- d. Hours

1. FMC
2. Scheduled PMCM
3. Unshed. PMCM
4. Sched. NMCM
5. Unshed. NMCS
- e. Corrosion (hours)
 1. SAF
 2. MAF
17. Safety
 - a. Significant incidents narrative
 - b. Lessons learned narrative
18. Noteworthy Accomplishments (Narrative)
19. Ship's schedule (next month)
 - a. Date
 - b. Port
20. Officer-in-charge Narrative.

USER

PILOT/AIRCREW
/MEMBER

USER

USER

The Eight O'clock Report is a report presented by the air department head (Officer-in-Charge) to the Ship's Commanding Officer describing the current status of the aircraft and crew. The format varies between detachments, but the elements contained are relatively uniform. The following is from HSL-35 Det 3.

Report name : Eight O'clock Report
Reference : Ship's instructions
Periodicity : as required, but usually each evening at sea while deployed.

Description : Provides ship's C.O. with latest status on aircraft, crew, and deployment statistics. Information compiled from flight and maintenance records, and from user-provided information.

Data Fields

NAME

SOURCE

1. DET_NAME DETACHMENT
2. "Eight O'clock report as of"
CAL_DATE/time
- SYS_DATE/
- USER
3. Aircraft status (up/down)
(EOC_AC_STAT) USER
4. Mission status
a. ASW (up/down) (EOC_ASW_STAT) USER

1. comments
- b. ASST (up/down) (EOC_ASST_STAT)
 1. comments
- c. Utility status (up/down) (EOC_UT_STAT)
 1. comments
- d. SAR status (up/down) (EOC_SAR_STAT)
 1. comments
5. Detachment flight hours. FLIGHT
 - a. Past 24 hours
 1. Day (sum FLT_TOT_HRS over past 24 HRS.)
 2. Night (sum HAC_NT_HRS over past 24 HRS.)
 3. Instrument
 - a. Actual (sum HAC_ACT_HRS over past 24 HRS)
 - b. Simulated (sum HAC_SIM_HRS + CP_SIM_HRS over past 24 HRS)
 4. Own ship landings
 - a. Day (EOC_OWN_DLDS)
 - b. Night (EOC_OWN_NLDS)
 5. Other ship landings
 - a. Day (EOC_OTH_DLDS)
 - b. Night (EOC_OTH_NLDS)
 - b. Month to date (same as above summed over period from beginning of month to present.)
6. Maintenance Data INSPECTION
 - a. Hrs remaining to inspections
 1. Phase " " (I_T_RMNG)
 - a. estimated date
 2. 14 day (I_D_RMNG)
 - a. estimated date
 3. 30 Hour (I_T_RMNG)
 - a. estimated date
 4. 50 Hour (I_T_RMNG)
 - a. estimated date
 - b. Hrs remaining on High-time components (each component) COMPONENT
 1. Component name (C_T_RMNG)
 - a. estimated date USER
 - b. estimated down time USER
7. Ordnance expenditures ORDNANCE
 - a. MK 25 MLM
 1. ORD_OB/ ORD_EXD/ ORD_EXM
 - b. MK 58 MLM
 1. ORD_OB/ ORD_EXD/ ORD_EXM
 - c. MK 64 SUS
 1. ORD_OB/ ORD_EXD/ ORD_EXM
 - d. MK 84 SUS

1. ORD_OB/ ORD_EXD/ ORD_EXM
- e. Mk 46 TORPEDO
 1. ORD_OB/ ORD_EXD/ ORD_EXM
- f. JAU 1 B CAD
 1. ORD_OB/ ORD_EXD/ ORD_EXM
- g. SSQ 36
 1. ORD_OB/ ORD_EXD/ ORD_EXM
- h. SSQ 41
 1. ORD_OB/ ORD_EXD/ ORD_EXM
- i. SSQ 47
 1. ORD_OB/ ORD_EXD/ ORD_EXM
- j. SSQ 53
 1. ORD_OB/ ORD_EXD/ ORD_EXM
8. Flight crew status (EOC_FC_STAT)
9. Comments (narrative)

The RAINFORM PURPLE is the daily flight summary of the detachment. It is a CONFIDENTIAL report, and its data fields will not be described here.

Report name : RAINFORM PURPLE
 Reference : OPNAVINST C3431.1B
 CINCPACFLTINST C3431.1C
 COMASWWINGSPAC RAINFORM PURPLE DRAFTER'S
 GUIDE
 Periodicity : as required to cover all at-sea flights,
 usually every 24 hrs at sea.
 Description : Provides a summary of at sea flight
 activity. Used to supplement database for
 the measurement of aircraft/ship
 operational performance by higher authori-
 ty.

LIST OF REFERENCES

1. Department of the Air Force Contract No. F19630-83-D-0005, 3 October 1983.
2. Department of the Navy Contract No. N66032-85-D-0008, 2 May 1985.
3. Commander, Anti-submarine Warfare Wing, U.S. Pacific Fleet, UNCLASSIFIED Letter 3500: Ser 316/2085 to Commander, Naval Air Force, U.S. Pacific Fleet, Subject: LAMPS Readiness Improvement - ADP Initiative, 14 Nov 84.
4. Teague, L. C., Jr., and Pidgoen, C. W., Structured Analysis Methods for Computer Information Systems, pp. 67-91, Scientific Research Associates, INC.
5. Pressman, R. S., Software Engineering: A Practitioner's Approach, pp. 94-128, McGraw-Hill, 1982.
6. Puffer, J. W., An Update of the Functional Requirements of the Naval Aviation Logistics Command Management Information System (NALCOMIS), Master's Thesis, Naval Postgraduate School, Monterey, California, March 1984.
7. Braman, Frederick, A., "Status Inventory Data Management System, (SIDMS II), Automation in Aviation Support Management," Meson, Winter 1982, pp. 16-21.
8. Commanding Officer, Navy Management Support Office UNCLASSIFIED letter 5230: Ser 2319/2708 to Chief of Naval Material, Subject: Project Request For Shipboard Non-Tactical ADP Program (SNAP) II Aviation Maintenance Subsystem (AMS), 10 December 84.
9. Small Computer Guideline, rev. March 84, p.7, Naval Data Automation Command.
10. Yourdon, E., and Constantine. L., Structured Design, Prentice-Hall, 1979.
11. DeMarco, T., Structured Analysis and System Specification, Prentice-Hall, pp. 302-307, 1979.
12. Senn, J. A., Information Systems in Management, Wadsworth Publishing Company, pp. 420-421. 1982.

13. Geschke, M., Bullock, R., and Widmaier, L., TAC II : An Expert Knowledge-Based System for Tactical Decision Making, Master's Thesis, Naval Postgraduate School, Monterey, California, June 1983.
14. Jones, T., and Dolenti, J., DSS/MIS Design and Implementation for Lamps Mk III Utilizing a Microcomputer and a Maintenance Personnel Assignment Program, Master's Thesis, Naval Postgraduate School, Monterey, California, March 1985.
15. Kroenke, D., Database Processing: Fundamentals, Design, Implementation, Science Research Associates, INC. 1983.
16. Unpublished questionnaire prepared by NARDAC San Francisco.
17. Department of the Navy, Office of the Chief of Naval Operations, NATOPS General Flight and Operating Instructions, (OPNAVINST 3710.7L), pp 9-18--9-25, September 1984
18. Commander Helicopter Sea Control Wing One, Training and Readiness Manual, (COMHELSEACONWING ONE C3500.1C), 1978
19. Department of the Navy, Office of the Chief of Naval Operations, OPNAVINST 3442.25, pp. 2-1--2-16, August 1981.
20. Commander Naval Air Force Pacific, COMNAVAIRPACINST 13700.9K, Enclosures 2-11, March 1984.
21. Commander Anti-Submarine Warfare wing U.S. Pacific Fleet, HSL RAINFORM PURPLE DRAFTER's GUIDE, April 1984
22. Department of the Navy. Afloat Supply Manual. (NAVSUP 2-485), 1978.

INITIAL DISTRIBUTION LIST

	No. Copies
1. Defense Technical Information Center Cameron Station Alexandria, Virginia 22304-6145	2
2. Library, Code 0142 Naval Postgraduate School Monterey, California 93943-5100	2
3. Professor Jack LaPatra Code 54 Lp Administrative Sciences Department Naval Postgraduate School Monterey, California 93943-5100	1
4. Professor Gordon Bradley Code 52 Bz Computer Science Department Naval Postgraduate School Monterey, California 93943-5100	1
5. Lt. Gregory F. Smith USS Iwo Jima (LPH-2) FPO New York, New York 09501	4
6. LCDR H. R. Whalen USS Inchon (LPH-12) FPO New York, New York 09501	1

5 OCT 72
1 SEP 75
1 SEP 75
24 OCT 75

S10460
236811
S 9773
23502
S 9981

FEB 5 1986

4

PRINTED IN U.S.A.

Keep this card in the book pocket
This book is due on the latest date stamped

210297

Thesis

S579


Smith

c.1

Microcomputer-based
detachment administra-
tive management system
for the LAMPS communi-
ty. A requirements
analysis.

thesS579

Microcomputer-based detachment administr



3 2768 000 68534 1

DUDLEY KNOX LIBRARY